PLASTIC SURGERY INSTRUMENTS







CONTENTS

	Auricular Plastic Instruments	3
	Breast Dissectors and Elevator	4-7
	Breast Retractors	8-19
	Cartilage And Bone Instruments	20-22
	Chisels and Gouges	23-26
	Dermatomes	27
	Dissectors and Elevators	28-35
	Lip and Cheek Retractors	36
	Lip and Cleft Palate Instruments	37-38
	Mallets	39
	Marking And Measuring Instruments	40-43
	Maxilla Mobilizer	43
	Mouth Gags	44
	Mucosa Knife And Raspatories	45
	Rhinoplasty Instruments	46-68
	Septum Straightening Forceps	69-70
	Osteotomes and Raspatories	71-85
•	Suction Raspatories	86
	Wires And Wire Instruments	87
•	Suggested Instruments	88
•	Delicate Dressing & Tissue Forceps	89-92
•	Hemostatic Forceps	93-96
•	Micro Forceps	97-99
•	Tissue Grasping Forceps	100-101
•	Needle Holders	102-109
•	Micro Needle Holders	110-111
•	Retractors	112-123
•	Delicate Retractors	124-131
•	Self Retaining Retractors	132-134
•	Scalpel Handles	135-136
•	Delicate Scissors	137-139
•	Delicate Dissecting Scissors	140-146
•	Dissecting Scissors	147-158
•	Gum Scissors	159
•	Ligature and Stitch Scissors	160-161
•	Micro Scissors	162-163
•	Liposuction Cannulas	164-209
•	Liposuction Cannulas Accessories	210-212
•	Liposuction Cannulas Set	213-218
•	Areola Markers	219


AURICALAR PLASTIC INTRUMENTS






Description Item Code

UNIVERSAL T. C. WIRE CUTTING SCISSORS, 12CM TC35-001



Item Code Description

TC35-002 NIRO T.C. WIRE TWISTING FORCEPS, 15CM



Item Code Description

NAGATA AURICULAR SEPTUM ELEVATOR, 16CM, BLUNT TC35-003

NAGATA AURICULAR SEPTUM ELEVATOR, 17CM, BLUNT TC35-004



Item Code Description

DOYEN RIB RASPATORY, 17CM, RIGHT TC35-005

DOYEN RIB RASPATORY, 17CM, LEFT TC35-006

EDICLI




Description Item Code

KISTLER ANTHELIX CARTILAGE RASP, RIGHT TC35-007

TC35-008 KISTLER ANTHELIX CARTILAGE FILE, LEFT

AURICALAR PLASTIC INTRUMENTS





TC35-009 SOLZ ATRAUMATIC BREAST DISSECTOR, 34CM
TC35-010 SOLZ ATRAUMATIC BREAST DISSECTOR, 37CM



Item Code Description
TC35-011 SOLZ BREAST HOOK DISSECTOR, 36CM


TC35-012 Description
AGRIS DINGMAN BREAST DISSECTOR, SET OF 2,
LEFT AND RIGHT, 36CM



Item Code	Description	
TC35-013	MACCOLLUM DINGMAN SUBMAMMARY	
	DISSECTOR, 30 CM	

BREAST DISSECTORS AND ELEVATOR







TC35-016 REYNOLDS TRANSAUXILLARY BREAST DISSECTOR, FENESTRATED, 33CM
TC35-017 REYNOLDS TRANSAUXILLARY BREAST DISSECTOR, FENESTRATED, 40CM



Item Code	Description
TC35-018	BREAST DISSECTOR, ANGULATED BLADE, 33CM
TC35-019	BREAST DISSECTOR, ANGULATED BLADE, 42CM






Item Code	Description
TC35-022	BREAST DISSECTOR, OVAL SPATULATED BLADE, 33CM
TC35-023	BREAST DISSECTOR, OVAL SPATULATED BLADE, 42CM


BREAST DISSECTORS AND ELEVATOR





Item Code	Description
TC35-024	TROCAR BREAST TUBE, 14" (356 MM) TOTAL LENGTH,
	LARGE, 17.3 MM ID, 19.0 MM OD
TC35-025	TROCAR BREAST TUBE, 13 1/2" (343), SMALL, 14 MM
	ID. 16 MM OD





Item Code Description


TC35-028 MCINNIS POLYCURETTE BREAST INSTRUMENT, 1 11/64"
(30 MM) WIDTH, 12 1/2" (318 MM) LENGTH



BREAST DISSECTORS AND ELEVATOR









Item Code	Description	
TC35-033	BREAST ELEVATOR FOR MAMMARY PLASTY	












Item Code	Description
TC35-066	BIGGS MAMMAPLASTY RETRACTORS, 30MM,
ANT	WITH FIBER OPTIC LIGHT GUIDE
TC35-067	BIGGS MAMMAPLASTY RETRACTORS, 50MM,
A. M.	WITH FIBER OPTIC LIGHT GUIDE
TC35-068	BIGGS MAMMAPLASTY RETRACTORS, 30MM,
	WITH FIBER OPTIC LIGHT GUIDE AND SUCTION
TC35-069	BIGGS MAMMAPLASTY RETRACTORS, 50MM,
	WITH FIBER OPTIC LIGHT GUIDE AND SUCTION

BREAST RETRACTORS








MALLABLE



Item Code	Description
TC35-074	BREAST RETRACTOR, DOUBLE ENDED, (31 CM),
	BLADES 22MM X 55MM AND 38MM X 70MM
TC35-075	BREAST RETRACTOR, DOUBLE ENDED, (24 CM),
	BLADES 22MM X 55MM AND 38MM X 70MM

25MM X 18 CM BLADE, SERRATED TIP, SEMI








Item Code	Description
TC35-079	BIGGS MAMMAPLASTY RETRACTOR, 50 MM WIDTH,
	STANDARD, 20 CM LENGTH

















13


















Tebbetts Fiber Optic retractor, Insulated Blade With Teeth 18.5cm

With Smoke Tube		
Item Code	Description	
TC35-145	70 X 16 mm	
TC35-146	80 X 16 mm	
TC35-147	90 X 27 mm	
TC35-148	110 X 25 mm	
TC35-149	120 X 25 mm	
TC35-150	130 X 16 mm	
TC35-151	130 X 25 mm	
TC35-152	150 X 25 mm	
TC35-153	150 X 30 mm	
TC35-154	150 X 36 mm	
TC35-155	180 X 16 mm	
TC35-156	180 X 25 mm	
TC35-157	190 X 25 mm	
TC35-158	190 X 36 mm	
TC35-159	220 X 27 mm	

soldred bidde Will Teelli 10.5cm		
Without ISmoke Tube		
Item Code	Description	
TC35-160	70 X 16 mm	
TC35-161	80 X 16 mm	
TC35-162	90 X 27 mm	
TC35-163	110 X 25 mm	101
TC35-164	120 X 25 mm	
TC35-165	130 X 16 mm	
TC35-166	130 X 25 mm	
TC35-167	150 X 25 mm	
TC35-168	150 X 30 mm	
TC35-169	150 X 36 mm	
TC35-170	180 X 16 mm	
TC35-171	180 X 25 mm	
TC35-172	190 X 25 mm	
TC35-173	190 X 36 mm	
TC35-174	220 X 27 mm	



With Smoke Tube


Willi Silloke lobe		
Item Code	Description	
TC35-175	70 X 16 mm	
TC35-176	80 X 16 mm	
TC35-177	90 X 27 mm	
TQ35-178	110 X 25 mm	
TC35-179	120 X 25 mm	
TC35-180	130 X 16 mm	
TC35-181	130 X 25 mm	
TC35-182	150 X 25 mm	
TC35-183	150 X 30 mm	
TC35-184	150 X 36 mm	
TC35-185	180 X 16 mm	
TC35-186	180 X 25 mm	
TC35-187	190 X 25 mm	
TC35-188	190 X 36 mm	
TC35-189	220 X 27 mm	

Without Smoke Tube

Item Code	Description
TC35-190	70 X 16 mm
TC35-191	80 X 16 mm
TC35-192	90 X 27 mm
TC35-193	110 X 25 mm
TC35-194	120 X 25 mm
TC35-195	130 X 16 mm
TC35-196	130 X 25 mm
TC35-197	150 X 25 mm
TC35-198	150 X 30 mm
TC35-199	150 X 36 mm
TC35-200	180 X 16 mm
TC35-201	180 X 25 mm
TC35-202	190 X 25 mm
TC35-203	190 X 36 mm
TC35-204	220 X 27 mm







with smoke lube		
Item Code	Description	
TC35-205	70 X 16 mm	
TC35-206	80 X 16 mm	
TC35-207	90 X 27 mm	
TC35-208	110 X 25 mm	
TC35-209	120 X 25 mm	
TC35-210	130 X 16 mm	
TC35-211	130 X 25 mm	
TC35-212	150 X 25 mm	
TC35-213	150 X 30 mm	
TC35-214	150 X 36 mm	
TC35-215	180 X 16 mm	
TC35-216	180 X 25 mm	
TC35-217	190 X 25 mm	
TC35-218	190 X 36 mm	
TC35-219	220 X 27 mm	

n Ena				
Without Smo	oke Tube			
Item Code	Description			
TC35-220	70 X 16 mm			- 4
TC35-221	80 X 16 mm			
TC35-222	90 X 27 mm			
TC35-223	110 X 25 mm			4.5
TC35-224	120 X 25 mm		-	
TQ5-225	130 X 16 mm			A.
TC35-226	130 X 25 mm			A PROPERTY.
TC35-227	150 X 25 mm			100
TC35-228	150 X 30 mm		- 10	
TC35-229	150 X 36 mm		second fill	
TC35-230	180 X 16 mm			
TC35-231	180 X 25 mm			
TC35-232	190 X 25 mm			
TC35-233	190 X 36 mm			
TC35-234	220 X 27 mm			
N	EDI	CL	NE	
			67	








Item Code	Description
TC35-237	Ring breast retractor with fiber optic illumination
	and irrigation tube


CARTILAGE AND BONE INSTRUMENTS






Item Code Description

TC35-238 MAYO SCISSORS, SUPERCUT PLUS T.C. (TUNGSTEN CARBIDE) 17CM, CURVED



Item Code Description

TC35-239 COTTLE CARTILAGE CRUSHER, WITH CLAMP, FOR TAKING OUT THE PREPARED MATERIAL, 65X30X30MM



Item Code Description

TC35-240 CARTILAGE CUTTING BLOCK, TEFLON, 85X55X10MM




Item Code Description

TC35-241 GUBISCH CARTILAGE CRUSHER, 65X30MM


CARTILAGE AND BONE INSTRUMENTS







Item Code	Description
TC35-244	RUBIN SEPTAL MORSELIZER FORCEPS,
	21CM



Item Code TQ5-245 Description

RUBIN SEPTAL MORSELIZER FORCEPS,

T.C. (TUNGSTEN CARBIDE) 20CM


CARTILAGE AND BONE INSTRUMENTS






CHISELS AND GOUGES






CHISELS AND GOUGES










CHISELS AND GOUGES








8 3/4" (222 MM) LENGTH
TC35-278 CLODIUS BONE CHISEL, 10 MM WIDTH,

8 3/4" (222 MM) LENGTH

TC35-279 CLODIUS BONE CHISEL, 20 MM WIDTH,
8 3/4" (222 MM) LENGTH






Item Code Description

TC35-281 SPARE BLADE FOR HUMBY AND WATSON DERMATOME




TC35-282 WATSON DERMATOME (SKIN GRAFT KNIFE)



Item Code Description

TC35-283 SCHINK DERMATOME, 30CM, ADJUSTABLE



Item Code Description


TC35-284 SKIN HOLDING/STRETCHING PLATE FOR SCHINK DERMATOME



Item Code Description

TC35-285 SILVER DERMATOME, 19CM, ADJUSTABLE








Item Code Description

TC35-293 ARCUS MARGINALIS DISSECTOR, 9 3/4" (24 CM), 10MM TIP, S SHAPED









Item Code Description

TC35-300 LANGENBECK BONE ELEVATOR, 23CM, 10MM, BLUNT, STRONG CURVE






Item Code	Description
TC35-301	FREER PERIOSTEAL ELEVATOR,
	19CM, 5MM, DOUBLE ENDED,
	SHARP / BLUNT
TC35-302	FREER PERIOSTEAL ELEVATOR,
	19CM, 6.5MM, DOUBLE ENDED
	SHARP / BLUNT



Item Code Description

TC35-303 COHEN PERIOSTEAL ELEVATOR / RETRACTOR, 24CM, 6MM, DOUBLE ENDED, BLUNT



14	0-1-	D 1:
irem	Code	Description
	THE RESERVE AND ADDRESS OF THE PERSON.	THE RESERVE AND ADDRESS OF THE PARTY OF THE


TC35-304 PENNINGTON SEPTUM ELEVATOR, 20CM,
DOUBLE ENDED






tem Code	Description
TC35-309	NASAL FRACTURE ELEVATOR,
	17CM, 7MM, BLUNT






Item Code	Description
TC35-314	SCALP ELEVATOR, 9 3/4" (24 CM), 12.5MM TIP, SLIGHTLY CURVED
TC35-315	SCALP ELEVATOR, 9 3/4" (24 CM), 15MM TIP, SLIGHTLY CURVED
TC35-316	SCALP ELEVATOR, 9 3/4" (24 CM), 7MM TIP, STRAIGHT
TC35-317	SCALP ELEVATOR, 9 3/4" (24 CM), 12.5MM TIP, S SHAPED
TC35-318	SCALP ELEVATOR, 9 3/4" (24 CM), 12.5MM TIP, SLIGHTLY CURVED
TC35-319	SCALP ELEVATOR, 9 3/4" (24 CM), 7MM TIP, CURVED TIP
TC35-320	SCALP ELEVATOR, 9 3/4" (24 CM), 7MM TIP, STRONGLY CURVED
TC35-321	SCALP ELEVATOR, 9 3/4" (24 CM), 7MM TIP, SLIGHTLY CURVED









Item Code Description

TC35-329 FREER SEPTUM ELEVATOR, DOUBLE ENDED SHARP / BLUNT, WIDE, 6.5 MM WIDTH, 7 3/4" (197 MM) LENGTH



Item Code Description

TC35-331 FREER SEPTUM ELEVATOR, CURVED, DOUBLE ENDED, 5 MM WIDTH, 7 1/2" (191 MM) LENGTH



Item Code	Description

TC35-332	C35-332 KILLIAN SEPTUM ELEVATOR,	
DOUBLE ENDED, 4 MM WITH 3.4 MM		
TAPER, AND 4.3 MM WITH 3 MM TAPE		
7 1/4" (184 MM) LENGTH		





Item Code Description

TC35-334 HOWARTH SEPTUM ELEVATOR,
OUBLE ENDED, 5 MM WIDTH, 8 1/2"
(216 MM) LENGTH




Item Code Description

TC35-335 KILLIAN SEPTUM ELEVATOR,
DOUBLE ENDED, 9" (229 MM) LENGTH,
6 MM WITH 4.5 MM TAPER AND 4.3 MM
WITH 3 MM TAPER




LIP AND CHEEK RETRACTORS






LIP AND CHEEK RETRACTORS





LIP AND CHEEK RETRACTORS











Item Code	Description
TC35-354	MALLET, 26CM, NOVOTEX PLASTIC,
	150 GRAMS, 35MM DIAMETER
TC35-355	MALLET, 26CM, NOVOTEX PLASTIC,
	240 GRAMS, 45MM DIAMETER
TC35-356	MALLET, 26CM, NOVOTEX PLASTIC,
	330 GRAMS, 50MM DIAMETER



Item Code Description

TC35-357 COTTLE MALLET, 19CM, 1 PLAIN FACE, 1 CONVEX FACE




Item Code Description

TC35-358 QUILLEN METAL HAMMER, 24CM, 300 GRAMS, 30MM DIAMETER, ANGLED FACES

MARKING AND MEASURIING INSTRUMENTS





Item

Item Code Description

TC35-361 KNOCHEN MESSZIRKEL BONE BOW SPACER, 19.5CM, SHARP TIPS



Item Code Description

TC35-362 JAMESON CALIPER, 10CM




Item Code Description

TC35-363 THORPE CALIPER, 11CM, 80MM

MEASURING RANGE

MARKING AND MEASURIING INSTRUMENTS






Item Code

Description

CASTROY/E TO CAUPER, 801:

ZOMM MEASURING RANGE T035 064



Item Code Description

TC35-365 CASTROVIEJO CALIPER, 9CM,

40MM MEASURING RANGE




Item Code Description

CASTROVIEJO EPKER CALIPER, 18CM, TC35-366 STRAIGHT, 40MM MEASURING RANGE



Description Item Code

CASTROVIEJO EPKER CALIPER, 18CM, TC35-367 ANGLED, 40MM MEASURING RANGE





Description Item Code

NOSE TIP MARKER, 12CM, STRAIGHT TC35-368 NOSE TIP MARKER, 14.5CM, STRAIGHT TC35-369

MARKING AND MEASURIING INSTRUMENTS












Item Code	Description
TC35-375	LOCKWOOD ABDOMINAL DEMARCATOR
	11 MM WIDTH, WITH ANGLED HINGE,
	12 1/4" (311 MM) LENGTH

LENGTH

MARKING AND MEASURIING INSTRUMENTS MAXILL MOBILIZER






Item Code	Description
TC35-376	Sheen Grid Stainless Steel,
	1 clavable, Grid Dimensions are
	40 X 70 mm



	Item Code	Description
	TC35-377	ROUND BOWL FOR SOLUTIONS/MARKING
MILL		ROUND BOWL FOR SOLUTIONS/MARKING COLOR, 60X30MM, 60CC



Description	
ACKERMAN BREAST MARKER,	
5 1/2" (14 CM), SMALL	
ACKERMAN BREAST MARKER,	
6 1/4" (16 CM), LARGE	
	ACKERMAN BREAST MARKER, 5 1/2" (14 CM), SMALL

Description
MCKISSOCK KEYHOLE PATTERN,
38 MM DIAMETER, WITH CM MARKINGS
MCKISSOCK KEYHOLE PATTERN,
42 MM DIAMETER, WITH CM MARKINGS
MCKISSOCK KEYHOLE PATTERN,
45 MM, DIAMETER, WITH CM MARKINGS




Item Code	Description
TC35-383	OBWEGESER MAXILLA
	MOBILIZING INSTRUMENT,
	23CM, 12MM





Item Code Description

TC35-384 MOLT MOUTH GAG, 10CM, CHILD SIZE TC35-385 MOLT MOUTH GAG, 15CM, ADULT SIZE




Item Code Description

TC35-386 ROSER KOENIG MOUTH GAG, 16CM



Item Code Description

TC35-387 DENHART MOUTH GAG, 13CM




MUCOSA KNIFE AND RASPATORIES






RHINOPLASTY DRESSING TFORCEPS
























MEDICI




RHINOPLASTY FORCEPS







RHINOPLASTY FORCEPS













Item Code	Description
TC35-459	MILLARD COTTLE RETRACTOR WITH
	FINGER RING, 5.5CM, DOUBLE PRONG,
	SHARP, 5X12MM











55









TC35-473 AUFRICHT NASAL RETRACTOR, 6 1/4" (16CM), 7MM TIP, 45MM BLADE, WITH FIBER OPTIC LIGHT GUIDE

TC35-474 AUFRICHT NASAL RETRACTOR, 7" (18CM), 10MM TIP, 45MM BLADE, WITH FIBER OPTIC LIGHT GUIDE



MEDIC

TC35-475 CONVERSE BLADE NASAL RETRACTOR, 20MM X 10MM WIDE, WITH FIBER OPTIC LIGHT GUIDE

TC35-476 CONVERSE BLADE NASAL RETRACTOR, 30MM X 12MM WIDE, WITH FIBER OPTIC LIGHT GUIDE

TC35-477 CONVERSE BLADE NASAL RETRACTOR, 40MM X 12MM WIDE, WITH FIBER OPTIC LIGHT GUIDE

TC35-478 CONVERSE BLADE NASAL RETRACTOR, 50MM X 12MM WIDE, WITH FIBER OPTIC LIGHT GUIDE



Item Code Description

TC35-479 FOMON NASAL RETRACTOR, 1 BALL

END PRONG, 6 1/4" (16 CM)


TC35-480 FOMON NASAL RETRACTOR, 2 BALL END PRONGS, 6 1/4" (16 CM)




TC35-481 Killian Nasal Speculum With Fiber Optics Illumination

RHINOPLASTY SAWS








Item Code Description

TC35-485 JOSEPH NASAL SAW, ANGLED TO LEFT TC35-486 JOSEPH NASAL SAW, ANGLED TO RIGHT

RHINOPLASTY SEPTUM FORCEPS







TC35-489 CRAIG DOMNICK SEPTUM FORCEPS,

17CM, CURVED RIGHT

TC35-488 CRAIG VOMER FORCEPS, 17CM


TC35-490 CRAIG DOMNICK SEPTUM FORCEPS, 17CM, CURVED LEFT


Item Code Description


Item Code Description

TC35-491 OBWEGESER NASAL SEPTUM CUTTER / PERFORATION FORCEPS, 18.5CM









TC35-497 VIENNA MODEL (MODIFIED WIEN) STANDARD NASAL SPECULUM #1, 14CM


TC35-498 VIENNA MODEL (MODIFIED WIEN)


STANDARD NASAL SPECULUM #2, 14CM


TC35-499 VIENNA MODEL (MODIFIED WIEN) STANDARD NASAL SPECULUM #3, 14CM

RHINOPLASTY SPECULA










Item Code Description

TC35-505 COTTLE COLUMELLA FORCEPS, 11CM

RHINOPLASTY SPECULA








Item Code Description

TC35-510 COTTLE NASAL SEPTUM SPECULUM, 14CM, 50MM



Item Code Description

MEDICI

TC35-511 COTTLE NASAL SPECULUM, DELICATE, 15CM, 55MM


RHINOPLASTY KNIVES




Item Code Description TC35-512 COTTLE NASAL KNIFE, 14CM, STRAIGHT
Item Code Description TC35-513 JOSEPH NASAL KNIFE, 15CM, STRAIGHT, BUTTON END
Item Code Description TC35-514 CONVERSE RHINOPLASTY KNIFE, 15CM, CURVED, BUTTON END
Item Code Description TC35-515 COTTLE DOUBLE EDGED KNIFE, 15CM, STRAIGHT
Item Code Description TC35-516 JOSEPH DOUBLE EDGED KNIFE, 15CM, CURVED, SHARP TIP
DICLINE

TC35-517	LOADER LANGE COLLECTION OF THE PARTY OF THE
1033-317	JOSEPH BUTTON END KNIFE, 16CM,
	ANGLED






Item Code	Description	
TC35-518	HEYMANN NASAL SCISSORS,	
	SUPERCUT, 17CM	
TC35-519	HEYMANN NASAL SCISSORS,	
	SUPERCUT, 18CM	
TC35-520	HEYMANN NASAL SCISSORS,	
	SUPERCUT, 20CM	



	Item Code	Description
	TC35-521	COTTLE MASING RHINOPLASTY
		SCISSORS, 10CM, CURVED BLADE,
		SHARP
	TC35-522	COTTLE MASING RHINOPLASTY
		SCISSORS, 10CM, CURVED BLADE,
		BLUNT
MEDI	CL	
Ite	m Code Desc	crintian



Item Code Description


TC35-523 LITTLER SUTURE CARRYING SCISSORS,
12CM






Item Code Description

TC35-525 CONVERSE SCISSORS, 13.5CM, DOUBLE EDGED, OUTER EDGES SEMI SHARP



Item Code Description


TC35-526 CINELLI RHINOPLASTY SCISSORS, 11CM, OUTER EDGES SEMI SHARP



Item Code Description


TC35-527 FOMON RHINOPLASTY SCISSORS, 12.5CM, WITH OUTER CUTTING, BOTH SIDES SHARP





Item Code Description


TC35-528 MCINDOE RHINOPLASTY SCISSORS, 19CM, STRAIGHT, SERRATED



Item Code	Description
TC35-529	AUFRICHT NASAL SCISSORS, 14CM, BLUNT
TC35-530	AUFRICHT NASAL SCISSORS, 14CM, BLUNT,
	SUPERCUT
TC35-531	AUFRICHT NASAL SCISSORS, 14CM, BLUNT,
	TC (TUNGSTEN CARBIDE)
TC35-532	AUFRICHT NASAL SCISSORS, 14CM, BLUNT,
	SUPERCUT PLUS



Item Code	Description
TC35-533	FOMON RHINOPLASTY SCISSORS, 12CM
TC35-534	FOMON RHINOPLASTY SCISSORS
	SUPERCUT, 12CM,




morn code boschbilon	Item	Code	Descri	ption
----------------------	------	------	--------	-------


TC35-535 WALTER DORSAL SCISSORS SUPERCUT, 14CM, ANGULAR

RHINOPLASTY SCISSORS







Item Code	Description
TC35-536	COTTLE DORSAL SCISSORS, 16CM,
	ANGULAR
TC35-537	COTTLE DORSAL SCISSORS, 16CM,
	ANGULAR, SUPERCUT
TC35-538	COTTLE DORSAL SCISSORS, 16CM,
	ANGULAR, TC (TUNGSTEN CARBIDE)
TC35-539	COTTLE DORSAL SCISSORS, 16CM,
	ANGULAR, SUPERCUT PLUS



Item Code	Description
TC35-540	FOMON DORSAL SCISSORS, 13CM,
	ANGULAR
TC35-541	FOMON DORSAL SCISSORS, 13CM,
	ANGULAR, SUPERCUT
TC35-542	FOMON DORSAL SCISSORS, 13CM,
	ANGULAR, TC (TUNGSTEN CARBIDE)
TC35-543	FOMON DORSAL SCISSORS, 13CM,
	ANGULAR, SUPERCUT PLUS




Item Code	Description
TC35-544	FANOUS DORSAL SCISSORS, 14CM
TC35-545	FANOUS DORSAL SCISSORS, 14CM,
	SUPERCUT



Item Code	Description
TC35-546	WALTER COTTLE DORSAL SCISSORS,
	16CM, CURVED
TC35-547	WALTER COTTLE DORSAL SCISSORS,
	16CM, CURVED, SUPERCUT
TC35-548	WALTER COTTLE DORSAL SCISSORS,
	16CM, CURVED, (TUNGSTEN CARBIDE
TC35-549	WALTER COTTLE DORSAL SCISSORS,
	16CM, CURVED, SUPERCUT PLUS

RHINOPLASTY SCISSORS








SEPTUM STRAIGHTENING FORCEPS





TC35-552 WALSHAM UNIVERSAL SEPTUM FORCEPS,


23CM



Item Code Description

TC35-553 WALSHAM SEPTUM STRAIGHTENING FORCEPS, 23CM, RIGHT

TC35-554 WALSHAM SEPTUM STRAIGHTENING FORCEPS, 23CM, LEFT




Item Code Description

TC35-555 ASCH SEPTUM STRAIGHTENING FORCEPS, 22CM, ANGLED

SEPTUM STRAIGHTENING FORCEPS









OSTEOTOMES AND RASPATORIES







OSTEOTOMES AND RASPATORIES














RHINOPLASTY SPECULA
















Item Code Description

TC35-592 SILVER OSTEOTOME, 18CM, STRAIGHT
TC35-593 SILVER OSTEOTOME, 18CM, CURVED LEFT
TC35-594 SILVER OSTEOTOME, 18CM, CURVED RIGHT








Item Code	Description
TC35-597	OBWEGESER SPLITTING OSTEOTOME,
	21.5CM, 7MM
TC35-598	OBWEGESER SPLITTING OSTEOTOME,
	21.5CM, 10MM



Item Code	Description
TC35-599	OBWEGESER WEDGE OSTEOTOME,
	22CM, 8MM
TC35-600	OBWEGESER WEDGE OSTEOTOME,
	22CM, 12MM
TC35-601	OBWEGESER WEDGE OSTEOTOME,
	22CM, 16MM










Item Code	Description
TC35-607	OBWEGESER FLEXIBLE OSTEOTOME,
	21CM, 8MM, CURVED
TC35-608	OBWEGESER FLEXIBLE OSTEOTOME,
	21CM, 10MM, CURVED

























Item Code Description

TC35-633 OBWEGESER RIB RASPATORY, 30CM, LEFT TC35-634 OBWEGESER RIB RASPATORY, 30CM, RIGHT







Item Code Description

TC35-636 COTTLE PERIOSTEAL ELEVATOR/RASPATORY, 18CM, 8MM, SHARP











Item Code Description
TC35-645 OBWEGESER MANDIBULAR RIM
STRIPPER, 19CM




Item Code	Description
TC35-646	OBWEGESER PERIOSTEAL ELEVATOR /
	RASPATORY, 17.5CM, 9MM, V NOTCH










Item Code Description

MEDICI


TC35-659 STEINHAUSER ORBITAL FLOOR RASPATORY, 17CM, 9X4MM





WIRES AND WIRE INTRUMENTS








MEDICL






(1)	Item Code	Description
	TC35-663	Tuppers Hand Retractor Set, Medium
	TC35-664	Tuppers Hand Retractor Set, For Infants
	TC35-665	Tuppers Hand Retractor Set, For Adults




DATE DE LA CONTRACTION DE LA C		
B 6 0	Item Code TC35-666	Description TISSUE FORCEPS, 14.5CM, 1X2 TEETH
	Item Code TC35-667	Description HUDSON EWALD DRESSING FORCEPS, 12CM, SERRATED
	1	
60	Item Code TC35-668	Description HUDSON EWALD TISSUE FORCEPS, 12CM, 1X2 TEETH
	TC35-669 TC35-670	Description ADSON FORCEPS, 12CM, SERRATED ADSON FORCEPS, 12CM, 1X2 TEETH
	Item Code TC35-671	Description ADSON T.C.(TUNGSTEN CARBIDE) TISSUE FORCEPS, 12CM
	Item Code TC35-672	Description ADSON T.C. (TUNGSTEN CARBIDE) TISSUE FORCEPS, 15CM
	Item Code	Description
THE PERSON OF TH	TC35-673	ADSON TISSUE FORCEPS, 12CM, CROSS SERRATED
B e o	Item Code TC35-674	Description ADSON DELICATE TISSUE AND SUTURE FORCEPS, 15CM, 1X2 TEETH






12CM










HEMOSTATIC FORCEPS














Item Code	Description
TC35-704	DIETHRICH BULLDOG CLAMP, 4.5CM,
A STATE OF	CURVED JAW, 8MM
TC35-705	DIETHRICH BULLDOG CLAMP, 5CM,
	CURVED JAW, 12MM
TC35-706	DIETHRICH BULLDOG CLAMP, 5.5CM,
	CURVED JAW, 16MM






Item Code	Description
TC35-707	ATRAUMATIC MOSQUITO FORCEPS,
	12CM, STRAIGHT
TC35-708	ATRAUMATIC MOSQUITO FORCEPS,
	12CM, CURVED

HEMOSTATIC FORCEPS






Item Code Description

TC35-713 JACOBSON MICRO MOSQUITO FORCEPS,

12.5CM, STRAIGHT

TC35-714 JACOBSON MICRO MOSQUITO FORCEPS,

12.5CM, CURVED





TC35-715 JACOBSON KOSHIMA MICRO MOSQUITO FORCEPS, 12.5CM, STRAIGHT

TC35-716 JACOBSON KOSHIMA MICRO MOSQUITO FORCEPS, 12.5CM, CURVED


HEMOSTATIC FORCEPS





















Item Code	Description
TC35-734	Micro Forceps, 11.5cm, 1x2 Teeth,
	Straight
TC35-735	Micro Forceps, 11.5cm, 1x2 Teeth,
	Curved

ED TO	Danadation
Item Code	Description
TC35-736	Micro Forceps, Straight, Sharp,
	10.5cm, 0.2mm Tip
	Micro Forceps, Straight, Sharp,
TC35-737	Micro Forceps, Straight, Sharp,










Item Code	Description
TC35-742	Ultra Fine Micro Forceps, Sharp, 14cm,
	0.1mm Tip
TC35-743	Ultra Fine Micro Forceps, Sharp, 14cm,
	0.2mm Tip
TC35-744	Ultra Fine Micro Forceps, Sharp, 14cm,
	0.3mm Tip

Item Code	Description
TC35-745	Micro Forceps, Round Handle, 12cm,
	Sharp, Straight
TC35-746	Micro Forceps, Round Handle, 12cm,
	Sharp, Curved








UNEDICINIE




TISSUE GRASPING FORCEPS












Item Code	Description
TC35-755	FOX TISSUE GRASPING FORCEPS, 15.5CM

TISSUE GRASPING FORCEPS







C35-760 FOX TISSUE

TC35-760 FOX TISSUE FORCEPS, 15CM, WITH CATCH



























MAYO HEGAR NEEDLE HOLDER, 24CM


TC35-781






















TC35-809 GILLIES SLIM NEEDLE HOLDER WITH SCISSORS, 14.5CM
TC35-810 GILLIES NEEDLE HOLDER WITH SCISSORS, 15CM



Item Code	Description
TC35-811	GILLIES SLIM T.C. NEEDLE HOLDER WITH
	SCISSORS, 14.5CM
TC35-812	GILLIES T.C. NEEDLE HOLDER WITH
	SCISSORS, 15CM
	1/4-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-











Item Code	Description
TC35-819	Corwin Hegar T.C. Wire Twisting Forceps
	16cm

MICRO NEEDIS HOLDERS







Item Code

TC35-824

Item Code	Description
TC35-828	Castroviejo Ultra Fine Needle Holder,
	14.5 cm, With Catch, Straight
TC35-829	Castroviejo Ultra Fine Needle Holder,
	14.5 cm, With Catch, Curved

Description

Castroviejo Needle Holder, T.C.


Standard, With catch, 14cm, Plain



Item Code	Description
TC35-830	Castroviejo Ultra Fine Needle Holder,
(MONTH - 12-10-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	14.5 cm, Without Catch, Straight
TC35-831	Castroviejo Ultra Fine Needle Holder,
	14.5 cm, Without Catch, Curved

MICRO NEEDIE HOLDERS















Item Code Description

TC35-840 WALTER RETRACTOR, 19CM, 4 PRONGS



Item Code Description


TC35-841 FARABEUF BABY RETRACTORS, 12CM, DOUBLE ENDED, SET OF 2



Item Code Description

TC35-842 FARABEUF RETRACTORS, 15CM, DOUBLE ENDED, SET OF 2






TC35-846


LANGENBECK RETRACTOR, 16MM

WIDE X 42MM DEEP, 21CM











Item Code Description

TC35-854 OBWEGESER MANDIBULAR RIM RETRACTOR, 17CM, 9/12 X 45MM





















Item Code	Description
TC35-871	OBWEGESER ALVEOLAR (WISDOM TOOTH)
	RETRACTOR, 22CM, 13/23 X 70MM





Item Code Description
TC35-872 OBWEGESER NASAL SPINE RETRACTOR,
22CM, 10/23 X 45MM























Item Code	Description
TC35-881	Sculpo Breast Retractors, 180 X 25mm
	Blade Size, With 5mm Endoscopic
	Scope Sheath
TC35-882	Sculpo Breast Retractors, 180 X 25mm
	Blade Size, With 10mm Endoscopic
	Scope Sheath
	THE COURSE OF TH





Item Code Description


TC35-884 Freeman Flap Retractor With Fiber Optics Illumination, 20cm, 13mm TC35-885 Freeman Flap Retractor With Fiber Optics Illumination, 20cm, 25mm




Item Code Description


TC35-886	Deaver Retractor With Fiber Optics
	Illumination, 16mm
TC35-887	Deaver Retractor With Fiber Optics
	Illumination, 25mm



















Item Code Description

TC35-896 MEYERDING RETRACTOR, 18CM, 7X18MM
TC35-897 MEYERDING RETRACTOR, 18CM, TOOTHED,

5X16MM

TC35-898 MEYERDING RETRACTOR, 18CM, TOOTHED,

4X7MM

TC35-899 MEYERDING RETRACTOR, 18CM, 3X10MM


TC35-900 MEYERDING RETRACTOR, 18CM, CONCAVE

BLADE, 4X7MM


TC35-901 MEYERDING RETRACTOR, 18CM, 3 PRONGS,

4X10MM













DICLINE



Item Code	Description
TC35-919	KLEINERT KUTZ SKIN HOOK, 13CM, SHARP,
	SMALL, 3MM WIDE
TC35-920	KLEINERT KUTZ SKIN HOOK, 13CM, SHARP,
	MEDIUM, 5MM WIDE
TC35-921	KLEINERT KUTZ SKIN HOOK, 13CM, SHARP,
	LARGE, 7MM WIDE




Item Code Description

TC35-922 CKSON TRACHEAL TENACULUM, 14.5CM, SINGLE, 9MM




Item Code Description
TC35-923 NEWS TRACHEOTOMY HOOK, 15CM,
SINGLE, 10MM







Item Code	Description
TC35-928	BENICKE RETRACTOR, 19CM, 8MM,
	SHARP, S SHAPED TIP
TC35-929	BENICKE RETRACTOR, 19CM, 8MM,
	BLUNT, S SHAPED TIP












SELF RETAINING RETRACTORS





Item Code Description

TC35-946 SPRING RETRACTOR, 8.5CM, 1X1 SHARP PRONGS
TC35-947 SPRING RETRACTOR, 11.5CM, 1X1 SHARP PRONGS
TC35-948 SPRING RETRACTOR, 8.5CM, 3X3 BLUNT PRONGS
TC35-949 SPRING RETRACTOR, 11.5CM, 3X3 BLUNT PRONGS



12 mm

12 mm



Item Code Description

TC35-950 FINSEN RETRACTOR, 5CM, 2X3 SHARP PRONGS
TC35-951 FINSEN RETRACTOR, 5CM, 2X3 BLUNT PRONGS




12 mm

7 6



Item Code Description

TC35-952 FINSEN RETRACTOR, 7CM, 3X4 SHARP PRONGS
TC35-953 FINSEN RETRACTOR, 7CM, 3X4 BLUNT PRONGS



Item Code Description

TC35-954 SPRING RETRACTOR, 10.5CM, 1X1 SHARP PRONGS, WITH RATCHET

SELF RETAINING RETRACTORS





5 mm 5 mm 6 mm 6 mm

Item Code Description

TC35-955 ALM RETRACTOR, 7CM, 4X4 SHARP PRONGS, 5MM DEEP

TC35-956 ALM RETRACTOR, 7CM, 4X4 BLUNT PRONGS, 5MM DEEP

TC35-957 ALM RETRACTOR, 10CM, 4X4 SHARP PRONGS, 6MM DEEP

TC35-958 ALM RETRACTOR, 10CM, 4X4 BLUNT PRONGS,




6 mm 6 mm

Item Code Description

TC35-959 SKIN RETRACTOR, 10CM, CROSS ACTION, 4X4 SHARP PRONGS

TC35-960 SKIN RETRACTOR, 10CM, CROSS ACTION, 4X4 BLUNT PRONGS



Item Code Description


TC35-961 WEITLANER RETRACTOR, 2X3 SHARP PRONGS, 15MM DEEP, 10.5CM

TC35-962 WEITLANER RETRACTOR, 2X3 BLUNT PRONGS, 15MM DEEP, 10.5CM

TC35-963 WEITLANER RETRACTOR, 2X3 SEMI SHARP PRONGS, 15MM DEEP, 10.5CM

SELF RETAINING RETRACTORS







Item Code Description


MEDICI

TC35-967 WEITLANER RETRACTOR, SOLID BLADES, 18MM DEEP, 13CM




Item Code Description TC35-968 SCALPEL HANDLE, #3 STANDARD Item Code Description TC35-969 SCALPEL HANDLE, #7 Item Code Description TC35-970 SCALPEL HANDLE, #3 LONG Item Code Description TC35-971 SCALPEL HANDLE, #7K SHORT Item Code Description TC35-972 SCALPEL HANDLE, #3LA LONG ANGLED Item Code Description TC35-973 SCALPEL, ROUND HANDLE, 16CM Item Code Description TC35-974 SCALPEL HANDLE, LONG SLIM, 22.5CM Item Code Description TC35-975 SCALPEL, ROUND HANDLE, LONG, 27CM




















Item Code


Description




Item Code	Description
TC35-987	JABELEY SCISSORS, 13CM, STRAIGHT
TC35-988	JABELEY SCISSORS, 13CM, CURVED
TC35-989	JABELEY SCISSORS, 13CM, STRAIGHT,
	SUPERCUT
TC35-990	JABELEY SCISSORS, 13CM, CURVED,
	SUPERCUT











Item Code	Description
TC35-1031	STEVENS SCISSORS, 11.5CM, STRAIGHT, SHARP
TC35-1032	STEVENS SCISSORS, 11.5CM, CURVED, SHARP
TC35-1033	STEVENS SCISSORS, 11.5CM, STRAIGHT, BLUNT
TC35-1034	STEVENS SCISSORS, 11.5CM, CURVED, BLUNT
TC35-1035	STEVENS SCISSORS, 11.5CM, STRAIGHT, SHARP, SUPERCUT
TC35-1036	STEVENS SCISSORS, 11.5CM, CURVED, SHARP, SUPERCUT
TC35-1037	STEVENS SCISSORS, 11.5CM, STRAIGHT, BLUNT, SUPERCUT
TC35-1038	STEVENS SCISSORS, 11.5CM, CURVED, BLUNT, SUPERCUT
TC35-1039	STEVENS SCISSORS, 11.5CM, STRAIGHT, SHARP, TC
TC35-1040	STEVENS SCISSORS, 11.5CM, CURVED, SHARP, TC
TC35-1041	STEVENS SCISSORS, 11.5CM, STRAIGHT, BLUNT, TC
TC35-1042	STEVENS SCISSORS, 11.5CM, CURVED, BLUNT, TC
TC35-1043	STEVENS SCISSORS, 11.5CM, STRAIGHT, SHARP, SUPERCUT PLUS
TC35-1044	STEVENS SCISSORS, 11.5CM, CURVED, SHARP, SUPERCUT PLUS
TC35-1045	STEVENS SCISSORS, 11.5CM, STRAIGHT, BLUNT, SUPERCUT PLUS
TC35-1046	STEVENS SCISSORS, T1.5CM, CURVED, BLUNT, SUPERCUT PLUS
TC35-1047	STEVENS SCISSORS, 11.5CM, STRAIGHT, SHARP, MAGIC CUT
TC35-1048	STEVENS SCISSORS, 11,5CM, CURVED, SHARP, MAGIC CUT
TC35-1049	STEVENS SCISSORS, 11,5CM, STRAIGHT, BLUNT, MAGIC CUT
TC35-1050	STEVENS SCISSORS, 11.5CM, CURVED, BLUNT, MAGIC CUT




TC35-1051 IRIS SCISSORS 11.5CM, BIG RING, SUPERCUT, STRAIGHT TC35-1052 IRIS SCISSORS 11.5CM, BIG RING, SUPERCUT, CURVED



TC35-1053 MICRO IRIS SCISSORS, 9CM, STRAIGHT
TC35-1054 MICRO IRIS SCISSORS, 9CM, CURVED
TC35-1055 MICRO IRIS SCISSORS, 9CM, STRAIGHT, SUPERCUT
TC35-1056 MICRO IRIS SCISSORS, 9CM, CURVED, SUPERCUT













Item Code	Description	
TC35-1071	KNAPP RIBBON SCISSORS, 10CM, STRAIGHT	
TC35-1072	KNAPP RIBBON SCISSORS, 10CM, CURVED	





Item Code	Description
TC35-1073	KNAPP SCISSORS, 12.5CM, STRAIGHT
TC35-1074	KNAPP SCISSORS, 12.5CM, CURVED
TC35-1075	KNAPP SCISSORS, 12.5CM, STRAIGHT, SUPERCUT
TC35-1076	KNAPP SCISSORS, 12.5CM, CURVED, SUPERCUT
TC35-1077	KNAPP SCISSORS, 12.5CM, STRAIGHT, TC
TC35-1078	KNAPP SCISSORS, 12.5CM, CURVED, TC
TC35-1079	KNAPP SCISSORS, 12.5CM, STRAIGHT, SUPERCUT PLUS
TC35-1080	KNAPP SCISSORS, 12.5CM, CURVED, SUPERCUT PLUS
TC35-1081	KNAPP SCISSORS, 12.5CM, STRAIGHT, MAGIC CUT
TC35-1082	KNAPP SCISSORS 12 5CM CURVED MAGIC CUIT




Item Code	Description
TC35-1083	DISSECTING SCISSORS, 12CM, STRAIGHT
TC35-1084	DISSECTING SCISSORS, 12CM, CURVED
TC35-1085	DISSECTING SCISSORS, 12CM, STRAIGHT, SUPERCUT
TC35-1086	DISSECTING SCISSORS, 12CM, CURVED, SUPERCUT
TC35-1087	DISSECTING SCISSORS, 12CM, STRAIGHT, TC
TC35-1088	DISSECTING SCISSORS, 12CM, CURVED, TC
TC35-1089	DISSECTING SCISSORS, 12CM, STRAIGHT, SUPERCUT PLUS
TC35-1090	DISSECTING SCISSORS, 12CM, CURVED, SUPERCUT PLUS
TC35-1091	DISSECTING SCISSORS, 12CM, STRAIGHT, MAGIC CUT
TC35-1092	DISSECTING SCISSORS, 12CM, CURVED, MAGIC CUT







Item Code	Description	
TC35-1093	RIBBON UTILITY SCISSORS, 9.5CM, CURVED	



Item Code	Description
TC35-1094	STEVENS SCISSORS, 13CM, CURVED
TC35-1095	STEVENS SCISSORS, 13CM, CURVED, SUPERCUT
TC35-1096	STEVENS SCISSORS, 13CM, CURVED, TC
TC35-1097	STEVENS SCISSORS, 13CM, CURVED, SUPERCUT PLUS
TC35-1098	STEVENS SCISSORS, 13CM, CURVED, MAGIC CUT










IW3-1104	RAGNELL KILNER SCISSORS, CURVED, 13CM
TC35-1105	RAGNELL KILNER SCISSORS, CURVED, 15CM
TC35-1106	RAGNELL KILNER SCISSORS, CURVED, 18CM
TC35-1107	RAGNELL KILNER SCISSORS, CURVED, 20CM
TC35-1108	RAGNELL KILNER SCISSORS, CURVED, 13CM, SUPERCUT
TC35-1109	RAGNELL KILNER SCISSORS, CURVED, 15CM, SUPERCUT
TC35-1110	RAGNELL KILNER SCISSORS, CURVED, 18CM, SUPERCUT
TC35-1111	RAGNELL KILNER SCISSORS, CURVED, 20CM, SUPERCUT
TC35-1112	RAGNELL KILNER SCISSORS, CURVED, 13CM, TC
TC35-1113	RAGNELL KILNER SCISSORS, CURVED, 15CM, TC
TC35-1114	RAGNELL KILNER SCISSORS, CURVED, 18CM, TC
TC35-1115	RAGNELL KILNER SCISSORS, CURVED, 20CM, TC
TC35-1116	RAGNELL KILNER SCISSORS, CURVED, 13CM, SUPERCUT PLUS
TC35-1117	RAGNELL KILNER SCISSORS, CURVED, 15CM, SUPERCUT PLUS
TC35-1118	RAGNELL KILNER SCISSORS, CURVED, 18CM, SUPERCUT PLUS
TC35-1119	RAGNELL KILNER SCISSORS, CURVED, 20CM, SUPERCUT PLUS
TC35-1120	RAGNELL KILNER SCISSORS, CURVED, 13CM, MAGIC CUT
TC35-1121	RAGNELL KILNER SCISSORS, CURVED, 15CM, MAGIC CUT
TC35-1122	RAGNELL KILNER SCISSORS, CURVED, 18CM, MAGIC CUT
TC35-1123	RAGNELL KILNER SCISSORS, CURVED, 20CM, MAGIC CUT








Item Code	Description
TC35-1124	PECK JOSEPH SCISSORS , 14CM, STRAIGHT, SHARP
TC35-1125	PECK JOSEPH SCISSORS , 14CM, CURVED, SHARP
TC35-1126	PECK JOSEPH SCISSORS , 14CM, STRAIGHT, BLUNT
TC35-1127	PECK JOSEPH SCISSORS, 14CM, CURVED, BLUNT
TC35-1128	PECK JOSEPH SCISSORS, 14CM, STRAIGHT, SHARP, SUPERCUT
TC35-1129	PECK JOSEPH SCISSORS, 14CM, CURVED, SHARP, SUPERCUT
TC35-1130	PECK JOSEPH SCISSORS, 14CM, STRAIGHT, BLUNT, SUPERCUT
TC35-1131	PECK JOSEPH SCISSORS, 14CM, CURVED, BLUNT, SUPERCUT





	Item Code	Description
	TC35-1132	SIEGERT DISSECTING SCISSORS, 11.5CM, STRAIGHT
	TC35-1133	SIEGERT DISSECTING SCISSORS, 11.5CM, CURVED
	TC35-1134	SIEGERT DISSECTING SCISSORS, 11.5CM, STRAIGHT, SUPERCUT
	TC35-1135	SIEGERT DISSECTING SCISSORS, 11.5CM, CURVED, SUPERCUT
	TC35-1136	SIEGERT DISSECTING SCISSORS, 11.5CM, STRAIGHT, TC
	TC35-1137	SIEGERT DISSECTING SCISSORS, 11.5CM, CURVED, TC
	TC35-1138	SIEGERT DISSECTING SCISSORS, 11.5CM, STRAIGHT, SUPERCUT PLUS
	TC35-1139	SIEGERT DISSECTING SCISSORS, 11.5CM, CURVED, SUPERCUT PLUS
	TC35-1140	SIEGERT DISSECTING SCISSORS, 11.5CM, STRAIGHT, MAGIC CUT
	TC35-1141	SIEGERT DISSECTING SCISSORS, 11.5CM, CURVED, MAGIC CUT
Ų		
	I+	em Code Description



Item Code	Description
TC35-1142	JOSEPH SCISSORS, 15CM, STRAIGHT
TC35-1143	JOSEPH SCISSORS, 15CM, CURVED
TC35-1144	JOSEPH SCISSORS, 15CM, STRAIGHT, SUPERCUT
TC35-1145	JOSEPH SCISSORS, 15CM, CURVED, SUPERCUT









DELICATE DISSECTING SCISSORS










Item Code	Description
TC35-1182	BRUSER KELLY SCISSORS SUPERCUT, 16CM, STRAIG
TC35-1183	BRIISER KELLY SCISSORS SUPERCUT 14CM CURVE

DELICATE DISSECTING SCISSORS







TC35-1190



BABY METZENBAUM SCISSORS, 11.5CM, MAGIC CUT









MAYO LEXER SCISSORS

Item Code	Description
TC35-1207	16.5CM, STRAIGHT
TC35-1208	16.5CM, CURVED
TC35-1209	16.5CM, STRAIGHT, SUPERCUT
TC35-1210	16.5CM, CURVED, SUPERCUT
TC35-1211	16.5CM, STRAIGHT, TC
TC35-1212	16.5CM, CURVED, TC
TC35-1213	16.5CM, STRAIGHT, SUPERCUT PLUS
TC35-1214	16.5CM, CURVED, SUPERCUT PLUS
TC35-1215	16.5CM, STRAIGHT, MAGIC CUT
TC35-1216	16.5CM, CURVED, MAGIC CUT








MAYO STILLE SCISSORS

Item Code	Description
TC35-1227	15CM, STRAIGHT
TC35-1228	17CM, STRAIGHT
TC35-1229	15CM, CURVED
TC35-1230	17CM, CURVED
TC35-1231	15CM, STRAIGHT, SUPERCUT
TC35-1232	17CM, STRAIGHT, SUPERCUT
TC35-1233	15CM, CURVED, SUPERCUT
TC35-1234	17CM, CURVED, SUPERCUT
TC35-1235	15CM, STRAIGHT, TC
TC35-1236	17CM, STRAIGHT, TC
TC35-1237	15CM, CURVED, TC
TC35-1238	17CM, CURVED, TC
TC35-1239	15CM, STRAIGHT, SUPERCUT PLUS
TC35-1240	17CM, STRAIGHT, SUPERCUT PLUS
TC35-1241	15CM, CURVED, SUPERCUT PLUS
TC35-1242	17CM, CURVED, SUPERCUT PLUS
TC35-1243	15CM, STRAIGHT, MAGIC CUT
TC35-1244	17CM, STRAIGHT, MAGIC CUT
TC35-1245	15CM, CURVED, MAGIC CUT
TC35-1246	17CM, CURVED, MAGIC CUT







METZENBAU	M SCISSORS
Item Code	Description
TC35-1247	14CM, STRAIGHT
TC35-1248	15CM, STRAIGHT
TC35-1249	18CM, STRAIGHT
TC35-1250	20CM, STRAIGHT
TC35-1251	14CM, CURVED
TC35-1252	15CM, CURVED
TC35-1253	18CM, CURVED
TC35-1254	20CM, CURVED
TC35-1255	14CM, STRAIGHT, SUPERCUT
TC35-1256	15CM, STRAIGHT, SUPERCUT
TC35-1257	18CM, STRAIGHT, SUPERCUT
TC35-1258	20CM, STRAIGHT, SUPERCUT
TC35-1259	14CM, CURVED, SUPERCUT
TC35-1260	15CM, CURVED, SUPERCUT
TC35-1261	18CM, CURVED, SUPERCUT
TC35-1262	20CM, CURVED, SUPERCUT 14CM, STRAIGHT, TC
TC35-1263	15CM, STRAIGHT, TC
_TC35-1264 TC35-1265	18CM, STRAIGHT, TC
TC35-1266	20CM, STRAIGHT, TC
TC35-1267	14CM, CURVED, TC
TC35-1268	15CM, CURVED, TC
TC35-1269	18CM, CURVED, TC
TC35-1270	20CM, CURVED, TC
TC35-1271	14CM, STRAIGHT, SUPERCUT PLUS
TC35-1272	15CM, STRAIGHT, SUPERCUT PLUS
TC35-1273	18CM, STRAIGHT, SUPERCUT PLUS
TC35-1274	20CM, STRAIGHT, SUPERCUT PLUS
TC35-1275	14CM, CURVED, SUPERCUT PLUS
TC35-1276	14CM, CURVED, SUPERCUT PLUS.
TC35-1277	18CM, CURVED, SUPERCUT PLUS
TC35-1278	18CM. CURVED. SUPERCUT PLUS
TC35-1279	14CM, STRAIGHT, MAGIC CUT
TC35-1280	15CM, STRAIGHT, MAGIC CUT
TC35-1281	18CM, STRAIGHT, MAGIC CUT
TC35-1282	20CM, STRAIGHT, MAGIC CUT
TC35-1283	14CM, CURVED, MAGIC CUT
TC35-1284	15CM, CURVED, MAGIC CUT
TC35-1285 TC35-1286	18CM, CURVED, MAGIC CUT 20CM, CURVED, MAGIC CUT
1C03-1200	ZOCINI, CORVED, MAGIC COI

MEDIC
















				0100000	
MAL	7FNRA	LIVV C	INA	CISSORS	
7 V 1		WILL ST	LIEVI V		

Item Code	Description	
TC35-1327	14CM, STRAIGHT	
TC35-1328	18CM, STRAIGHT	
TC35-1329	20CM, STRAIGHT	
TC35-1330	23CM, STRAIGHT	
TC35-1331	14CM, CURVED	
TC35-1332	18CM, CURVED	
TC35-1333	20CM, CURVED	_
TC35-1334	23CM, CURVED	
TC35-1335	14CM, STRAIGHT, SUPERCUT	_
TC35-1336	18CM, STRAIGHT, SUPERCUT	
TC35-1337	20CM, STRAIGHT, SUPERCUT	
_TC35-1338	23CM, STRAIGHT, SUPERCUT	_
TC35-1339	14CM, CURVED, SUPERCUT	_
TC35-1340	18CM, CURVED, SUPERCUT	
TC35-1341	20CM, CURVED, SUPERCUT	- 77
TC35-1342	23CM, CURVED, SUPERCUT	_
TC35-1343	14CM, STRAIGHT, TC	
TC35-1344	18CM, STRAIGHT, TC	
TC35-1345	20CM, STRAIGHT, TC	
TC35-1346	23CM, STRAIGHT, TC	_
TC35-1347	14CM, CURVED, TC	_
TC35-1348	18CM, CURVED, TC	_
TC35-1349	20CM, CURVED, TC	7.1
TC35-1350	23CM, CURVED, TC	-
TC35-1351	14CM, STRAIGHT	_
TC35-1352	18CM, STRAIGHT	_
TC35-1353	20CM, STRAIGHT	_
TC35-1354	23CM, STRAIGHT	_
TC35-1355	14CM, CURVED	_
TC35-1356	18CM, CURVED	_
TC35-1357	20CM, CURVED	_
TC35-1358	23CM, CURVED	_
TC35-1359	14CM, STRAIGHT	-
TC35-1360	18CM, STRAIGHT	_
TC35-1361	20CM, STRAIGHT	_
TC35-1362	23CM, STRAIGHT	_
_TC35-1363	14CM, CURVED	_
TC35-1364	18CM, CURVED	_
TC35-1365	20CM, CURVED	_
TC35-1366	23CM, CURVED	






Item Code	Description	
TC35-1367	26CM, STRAIGHT	
TC35-1368	28.5CM, STRAIGHT	
TC35-1369	26CM, CURVED	
TC35-1370	28.5CM, CURVED	




TOENNIS ADSON SCISSORS, 18CM

Item Code	Description	
TQ5-1371	STRAIGHT	
TQ5-1372	CURVED	- 0
TQ5-1373	STRAIGHT, SUPERCUT	
TQ35-1374	CURVED, SUPERCUT	
TC35-1375	STRAIGHT, TC	
TC35-1376	CURVED, TC	
TC35-1377	STRAIGHT, SUPERCUT PLUS	
TC35-1378	CURVED, SUPERCUT PLUS	
TC35-1379	STRAIGHT, MAGIC CUT	
TC35-1380	CURVED, MAGIC CUT	








DISSECTING SCISSORS





KELLY SCISSORS, 16CM


Item Code	Description	
TC35-1405	STRAIGHT	
TC35-1406	CURVED	
TC35-1407	STRAIGHT, SUPERCUT	
TC35-1408	CURVED, SUPERCUT	
TC35-1409	STRAIGHT, TC	
TC35-1410	CURVED, TC	100
TC35-1411	STRAIGHT, SUPERCUT PLUS	
TC35-1412	CURVED, SUPERCUT PLUS	
TC35-1413	STRAIGHT, MAGIC CUT	
TC35-1414	CURVED, MAGIC CUT	



REYNOLDS JAMESON SCISSORS

Item Code	Description
TC35-1415	12CM, STRAIGHT
TC35-1416	14CM, STRAIGHT
TC35-1417	16CM, STRAIGHT
TC35-1418	18CM, STRAIGHT
TC35-1419	12CM, CURVED
TC35-1420	14CM, CURVED
TC35-1421	16CM, CURVED
TC35-1422	18CM, CURVED
TC35-1423	12CM, STRAIGHT, SUPERCUT
TC35-1424	14CM, STRAIGHT, SUPERCUT
TC35-1425	16CM, STRAIGHT, SUPERCUT
TC35-1426	18CM, STRAIGHT, SUPERCUT
TC35-1427	12CM, CURVED, SUPERCUT
TC35-1428	14CM, CURVED, SUPERCUT
TC35-1429	16CM, CURVED, SUPERCUT
TC35-1430	18CM, CURVED, SUPERCUT
TC35-1431	12CM, STRAIGHT, TC
TC35-1432	14CM, STRAIGHT, TC
TC35-1433	16CM, STRAIGHT, TC
TC35-1434	18CM, STRAIGHT, TC
TC35-1435	12CM, CURVED, TC
TC35-1436	14CM, CURVED, TC
TC35-1437	16CM, CURVED, TC
TC35-1438	18CM, CURVED, TC
TC35-1439	12CM, STRAIGHT, SUPERCUT PLUS
TC35-1440	14CM, STRAIGHT, SUPERCUT PLUS
TC35-1441	16CM, STRAIGHT, SUPERCUT PLUS
TC35-1442	18CM, STRAIGHT, SUPERCUT PLUS
TC35-1443	12CM, CURVED, SUPERCUT PLUS
TC35-1444	14CM, CURVED, SUPERCUT PLUS
TC35-1445	16CM, CURVED, SUPERCUT PLUS
TC35-1446	18CM, CURVED, SUPERCUT PLUS
TC35-1447	12CM, STRAIGHT, MAGIC CUT
TC35-1448	14CM, STRAIGHT, MAGIC CUT
TC35-1449	16CM, STRAIGHT, MAGIC CUT
TC35-1450	18CM, STRAIGHT, MAGIC CUT
TC35-1451	12CM, CURVED, MAGIC CUT
TC35-1452	14CM, CURVED, MAGIC CUT
TC35-1453	16CM, CURVED, MAGIC CUT
TC2E 1AEA	19CM CLIDVED MACIC CLIT







18CM, CURVED, MAGIC CUT


TC35-1454











S CURVED, TC

S CURVED, SUPERCUT PLUS


S CURVED, MAGIC CUT


TC35-1495

TC35-1496


TC35-1497












KAYE SCISSOR	29
Item Code	Description
TC35-1500	12.5CM, STRAIGHT
TC35-1501	15CM, STRAIGHT
TC35-1502	17CM, STRAIGHT
TC35-1502	19CM, STRAIGHT
TC35-1504	23CM, STRAIGHT
TC35-1505	12.5CM, CURVED
TC35-1506	15CM, CURVED
TC35-1507	17CM, CURVED
TC35-1508	19CM, CURVED
TC35-1509	23CM, CURVED
TC35-1510	12.5CM, STRAIGHT, SUPERCUT
TC35-1511	15CM, STRAIGHT, SUPERCUT
TC35-1512	17CM, STRAIGHT, SUPERCUT
TC35-1513	19CM, STRAIGHT, SUPERCUT
TC35-1514	23CM, STRAIGHT, SUPERCUT
TC35-1515	12.5CM, CURVED, SUPERCUT
TC35-1516	15CM, CURVED, SUPERCUT
TC35-1517	17CM, CURVED, SUPERCUT
TC35-1518	19CM, CURVED, SUPERCUT
TC35-1519	23CM, CURVED, SUPERCUT
TC35-1520	12.5CM, STRAIGHT, TC
TC35-1521	15CM, STRAIGHT, TC
TC35-1522	17CM, STRAIGHT, TC
TC35-1523	19CM, STRAIGHT, TC
TC35-1524	23CM, STRAIGHT, TC
TC35-1525	12.5CM, CURVED, TC
TC35-1526	15CM, CURVED, TC
TC35-1527	17CM, CURVED, TC
TC35-1528	19CM, CURVED, TC
TC35-1529	23CM, CURVED, TC
TC35-1530	12.5CM, STRAIGHT, SUPERCUT PLUS
TC35-1531	15CM, STRAIGHT, SUPERCUT PLUS
TC35-1532	17CM, STRAIGHT, SUPERCUT PLUS
TC35-1533	19CM, STRAIGHT, SUPERCUT PLUS
TC35-1534	23CM, STRAIGHT, SUPERCUT PLUS
TC35-1535 TC35-1536	12.5CM, CURVED, SUPERCUT PLUS
TC35-1537	15CM, CURVED, SUPERCUT PLUS 17CM, CURVED, SUPERCUT PLUS
TC35-1538	19CM, CURVED, SUPERCUT PLUS
TC35-1539	23CM, CURVED, SUPERCUT PLUS
TC35-1540	12.5CM, STRAIGHT, MAGIC CUT
TC35-1541	15CM, STRAIGHT, MAGIC CUT
TC35-1542	17CM, STRAIGHT, MAGIC CUT
TC35-1543	19CM, STRAIGHT, MAGIC CUT
TC35-1544	23CM, STRAIGHT, MAGIC CUT
TC35-1545	12.5CM, CURVED, MAGIC CUT
TC35-1546	15CM, CURVED, MAGIC CUT
TC35-1547	17CM, CURVED, MAGIC CUT
TC35-1548	19CM, CURVED, MAGIC CUT
TC35-1549	23CM, CURVED, MAGIC CUT








FOX GUM AND TISSUE SCISSORS, 13CM


(4)	Item Code	Description
	TC35-1552	STRAIGHT
VA.		CURVED
0	TC35-1554	STRAIGHT, SUPERCUT
	TC35-1555	CURVED, SUPERCUT
		STRAIGHT, TC
		CURVED, TC
	TC35-1558	STRAIGHT, SUPERCUT PLUS
	TC35-1559	CURVED, SUPERCUT PLUS




Item Code	Description	
TC35-1560	STRAIGHT	
TC35-1561	CURVED	

LIGATURE AND STITCH SCISSORS








LIGATURE AND STITCH SCISSORS







Item Code


TC35-1570

Description

ANGLED TO SIDE

O'BRIEN STITCH SCISSORS, 9CM,





MICRO 2000 SCISSORS, 15CM

Item Code	Description	94.0
TC35-1571	STRAIGHT	
TC35-1572	CURVED	
TC35-1573	STRAIGHT, SUPERCUT	
TC35-1574	CURVED, SUPERCUT	



serrated cutting edges

MICRO 2000 SCISSORS, 15CM

Item Code	Description	
TC35-1575	SERRATED BLADES, STRAIGHT	
TC35-1576	SERRATED BLADES, CURVED	
TC35-1577	15CM, STRAIGHT	
TC35-1578	15CM, CURVED	



MICRO 2000 SCISSORS, 15CM

Item Code	Description
TC35-1579	9MM BLADES, STRAIGHT
TC35-1580	9MM BLADES, STRAIGHT
TC35-1581	9MM BLADES, STRAIGHT, SUPERCUT
TC35-1582	9MM BLADES, CURVED, SUPERCUT




MICRO 2000 SCISSORS, 15CM

Item Code	Description	
TC35-1583	7MM BLADES, STRAIGHT	
TC35-1584	7MM BLADES, CURVED	

Vannas-type cutting edges







MICRO SCISSORS

MEDIC

Item Code	Description
TC35-1587	23CM, STRAIGHT, 10MM BLADES,
	STRAIGHT



Spiral Three Port Harvester Cannula





with Luer Lock Connector

Item Code	Size	Diameter
TC35-1588	10 cm	1.5 mm
TC35-1589	15 cm	1.5 mm
TC35-1590	20 cm	1.5 mm
TC35-1591	25 cm	1.5 mm
TC35-1592	10 cm	2.0 mm
TC35-1593	15 cm	2.0 mm
TC35-1594	20 cm	2.0 mm
TC35-1595	25 cm	2.0 mm
TC35-1596	10 cm	2.5 mm
TC35-1597	15 cm	2.5 mm
TC35-1598	20 cm	2.5 mm
TC35-1599	25 cm	2.5 mm
TC35-1600	10 cm	3.0 mm
TC35-1601	15 cm	3.0 mm
TC35-1602	20 cm	3.0 mm
TC35-1603	25 cm	3.0 mm



with Special Luer Lock Connector

Item Code	Size	Diameter
TC35-1604	10 cm	1.5 mm
TC35-1605	15 cm	1.5 mm
TC35-1606	20 cm	1.5 mm
TC35-1607	25 cm	1.5 mm
TC35-1608	10 cm	2.0 mm
TC35-1609	15 cm	2.0 mm
TC35-1610	20 cm	2.0 mm
TC35-1611	25 cm	2.0 mm

Item Code	Size	Diameter
TC35-1612	10 cm	2.5 mm
TC35-1613	15 cm	2.5 mm
TC35-1614	20 cm	2.5 mm
TC35-1615	25 cm	2.5 mm
TC35-1616	10 cm	3.0 mm
TC35-1617	15 cm	3.0 mm
TC35-1618	20 cm	3.0 mm
TC35-1619	25 cm	3.0 mm



with Super Handle

	-	
Item Code	Size	Diameter
TC35-1620	15 cm	2.5 mm
TC35-1621	20 cm	2.5 mm
TC35-1622	25 cm	2.5 mm
TC35-1623	30 cm	2.5 mm
TC35-1624	35 cm	2.5 mm
TC35-1625	15 cm	3.0 mm
TC35-1626	20 cm	3.0 mm
TC35-1627	25 cm	3.0 mm
TC35-1628	30 cm	3.0 mm
TC35-1629	35 cm	3.0 mm
	-	
TC35-1630	15 cm	4.0 mm
TC35-1631	20 cm	4.0 mm
TC35-1632	25 cm	4.0 mm
TC35-1633	30 cm	4.0 mm
TC35-1634	35 cm	4.0 mm
TC35-1635	15 cm	5.0 mm
TC35-1636	20 cm	5.0 mm
TC35-1637	25 cm	5.0 mm
TC35-1638	30 cm	5.0 mm
TC35-1639	35 cm	5.0 mm

LIPOSUCTION CANNULAS





with Threaded Fitting



MEDICI

with Mini Threaded Fitting

Item Code	Size	Diameter
TC35-1640	15 cm	2.5 mm
TC35-1641	20 cm	2.5 mm
TC35-1642	25 cm	2.5 mm
TC35-1643	30 cm	2.5 mm
TC35-1644	35 cm	2.5 mm
TC35-1645	15 cm	3.0 mm
TC35-1646	20 cm	3.0 mm
TC35-1647	25 cm	3.0 mm
TC35-1648	30 cm	3.0 mm
TC35-1649	35 cm	3.0 mm
TC35-1650	15 cm	4.0 mm
TC35-1651	20 cm	4.0 mm
TC35-1652	25 cm	4.0 mm
TC35-1653	30 cm	4.0 mm
TC35-1654	35 cm	4.0 mm
TC35-1655	15 cm	5.0 mm
TC35-1656	20 cm	5.0 mm
TC35-1657	25 cm	5.0 mm
TC35-1658	30 cm	5.0 mm
TC35-1659	35 cm	5.0 mm

Item Code	Size	Diameter
TC35-1660	15 cm	2.5 mm
TC35-1661	20 cm	2.5 mm
TC35-1662	25 cm	2.5 mm
TC35-1663	30 cm	2.5 mm
TC35-1664	35 cm	2.5 mm
1	A Control of the Control	1111 - 415-51-54
TC35-1665	15 cm	3.0 mm
TC35-1666	20 cm	3.0 mm
TC35-1667	25 cm	3.0 mm
TC35-1668	30 cm	3.0 mm
TC35-1669	35 cm	3.0 mm
TC35-1670	15 cm	4.0 mm
TC35-1671	20 cm	4.0 mm
TC35-1672	25 cm	4.0 mm
TC35-1673	30 cm	4.0 mm
TC35-1674	35 cm	4.0 mm
TC35-1675	15 cm	5.0 mm
TC35-1676	20 cm	5.0 mm
TC35-1677	25 cm	5.0 mm
TC35-1678	30 cm	5.0 mm
TC35-1679	35 cm	5.0 mm



Six Port Spiral Harvester Cannula





with Luer Lock Connector

with Super Handle

Item Code	Size	Diameter
TC35-1680	15 cm	2.5 mm
TC35-1681	25 cm	2.5 mm
TC35-1682	15 cm	3.0 mm
TC35-1683	25 cm	3.0 mm

25 cm

15 cm 25 cm



TC35-1685

TC35-1686

TC35-1687

			TC35-16
			TC35-16
with Special L	uer Lock Con	nector	TC35-16
min opecial i	oc. 100k 00m		TC35-16
			TC35-16
		-	
Item Code	Size	Diameter	

2.5 mm

3.0 mm

3.0 mm

Item Code	Size	Diameter
TC35-1688	15 cm	2.5 mm
TC35-1689	20 cm	2.5 mm
TC35-1690	25 cm	2.5 mm
TC35-1691	15 cm	3.0 mm
TC35-1692	20 cm	3.0 mm
_TC35-1693	25 cm	3.0 mm
TC35-1694	15 cm	3.5 mm
TC35-1695	20 cm	3.5 mm
TC35-1696	25 cm	3.5 mm
TC35-1697	15 cm	4.0 mm
TC35-1698	20 cm	4.0 mm
TC35-1699	25 cm	4.0 mm



with Threaded Fitting

Item Code	Size	Diameter
TC35-1700	15 cm	2.5 mm
TC35-1701	20 cm	2.5 mm
TC35-1702	25 cm	2.5 mm
TC35-1703	15 cm	3.0 mm
TC35-1704	20 cm	3.0 mm
TC35-1705	25 cm	3.0 mm
TC35-1706	15 cm	3.5 mm
TC35-1707	20 cm	3.5 mm
TC35-1708	25 cm	3.5 mm



Item Code	Size	Diameter
TC35-1709	15 cm	4.0 mm
TC35-1710	20 cm	4.0 mm
TC35-1711	25 cm	4.0 mm



167

with Mini Threaded Fitting

with Mini Thread	led Fitting	7	UINE
Item Code	Size	Diameter	CLIII
TC35-1712	15 cm	2.5 mm	10
TC35-1713	20 cm	2.5 mm	
TC35-1714	25 cm	2.5 mm	
TC35-1715	15 cm	3.0 mm	
TC35-1716	20 cm	3.0 mm	
TC35-1717	25 cm	3.0 mm	
TC35-1718	15 cm	3.5 mm	
TC35-1719	20 cm	3.5 mm	
TC35-1720	25 cm	3.5 mm	
TC35-1721	15 cm	4.0 mm	
TC35-1722	20 cm	4.0 mm	
TC35-1723	25 cm	4.0 mm	

MEDICI



Multi Holes Harvester Cannula, Model 1





with Luer Lock Connector

	Danne

with Super Handle

Item Code	Size	Diameter
TC35-1724	20 cm	2.5 mm
TC35-1725	25 cm	2.5 mm
TC35-1726	20 cm	3.0 mm
TC35-1727	25 cm	3.0 mm



with Special Luer Lock Connector

nem Code	3126	Diameiei
TC35-1732	20 cm	2.5 mm
TC35-1733	25 cm	2.5 mm
TC35-1734	20 cm	3.0 mm
TC35-1735	25 cm	3.0 mm
1		



with Threaded Fitting

Item Code	Size	Diameter
TC35-1728	20 cm	2.5 mm
TC35-1729	25 cm	2.5 mm
TC35-1730	20 cm	3.0 mm
TC35-1731	25 cm	3.0 mm

Item Code	Size	Diameter
TC35-1736	20 cm	2.5 mm
TC35-1737	25 cm	2.5 mm
TC35-1738	20 cm	3.0 mm
TC35-1739	25 cm	3.0 mm



Item Code	Size	Diameter
TC35-1740	20 cm	2.5 mm
TC35-1741	25 cm	2.5 mm
TC35-1742	20 cm	3.0 mm
TC35-1743	25 cm	3.0 mm



Multi Holes Harvester Cannula, Model 2





with Luer Lock Connector

Size	Diameter
15 cm	2.5 mm
20 cm	2.5 mm
25 cm	2.5 mm
	15 cm 20 cm

TC35-1747	15 cm	3.0 mm
TC35-1748	20 cm	3.0 mm
TC35-1749	25 cm	3.0 mm



with Special Luer Lock Connector

Item Code	Size	Diameter
TC35-1750	15 cm	2.5 mm
TC35-1751	20 cm	2.5 mm
TC35-1752	25 cm	2.5 mm
35-1753	15 cm	3.0 mm
35-1754	20 cm	3.0 mm
35-1755	25 cm	3.0 mm



with Super Handle

Item Code	Size	Diameter
TC35-1756	15 cm	2.5 mm
TC35-1757	20 cm	2.5 mm
TC35-1758	25 cm	2.5 mm





with Threaded Fitting

Size	Diameter
15 cm	2.5 mm
20 cm	2.5 mm
25 cm	2.5 mm
15 cm	3.0 mm
20 cm	3.0 mm
25 cm	3.0 mm
	15 cm 20 cm 25 cm 15 cm 20 cm



with Mini Threaded Fitting

Item Code	Size	Diameter
TC35-1768	15 cm	2.5 mm
TC35-1769	20 cm	2.5 mm
TC35-1770	25 cm	2.5 mm
TC35-1771	15 cm	3.0 mm
TC35-1772	20 cm	3.0 mm
TC35-1773	25 cm	3.0 mm



Multi Holes Harvester Cannula, Model 3





with Luer Lock Connector



with Super Handle

Size	Diameter
15 cm	2.0 mm
20 cm	2.0 mm
25 cm	2.0 mm
15 cm	2.5 mm
20 cm	2.5 mm
25 cm	2.5 mm
15 cm	3.0 mm
20 cm	3.0 mm
25 cm	3.0 mm
	15 cm 20 cm 25 cm 15 cm 20 cm 25 cm

	4		
		Į	
	8	t	
	п		

with Special Luer Lock Connector

Item Code	Size	Diameter
TC35-1792	15 cm	2.5 mm
TC35-1793	20 cm	2.5 mm
TC35-1794	25 cm	2.5 mm
TC35-1795	30 cm	2.5 mm
TC35-1796	35 cm	2.5 mm
TC35-1797	15 cm	3.0 mm
TC35-1798	20 cm	3.0 mm
TC35-1799	25 cm	3.0 mm
TC35-1800	30 cm	3.0 mm
TC35-1801	35 cm	3.0 mm
TC35-1802	15 cm	3.5 mm
TC35-1803	20 cm	3.5 mm
TC35-1804	25 cm	3.5 mm
TC35-1805	30 cm	3.5 mm
TC35-1806	35 cm	3.5 mm

Item Code	Size	Diameter
TC35-1783	15 cm	2.0 mm
TC35-1784	20 cm	2.0 mm
TC35-1785	25 cm	2.0 mm
TC35-1786	15 cm	2.5 mm
TC35-1787	20 cm	2.5 mm
TC35-1788	25 cm	2.5 mm
TC35-1789	15 cm	3.0 mm
TC35-1790	20 cm	3.0 mm
TC35-1791	25 cm	3.0 mm

LIPOSUCTION CANNULAS





with Threaded Fitting



with Mini Threaded Fitting

Item Code	Size	Diameter
TC35-1807	15 cm	2.5 mm
TC35-1808	20 cm	2.5 mm
TC35-1809	25 cm	2.5 mm
TC35-1810	30 cm	2.5 mm
TC35-1811	35 cm	2.5 mm
TC35-1812	15 cm	3.0 mm
TC35-1813	20 cm	3.0 mm
TC35-1814	25 cm	3.0 mm
TC35-1815	30 cm	3.0 mm
TC35-1816	35 cm	3.0 mm
TC35-1817	15 cm	3.5 mm
TC35-1818	20 cm	3.5 mm
TC35-1819	25 cm	3.5 mm
TC35-1820	30 cm	3.5 mm
TC35-1821	35 cm	3.5 mm

Item Code	Size	Diameter
TC35-1822	15 cm	2.5 mm
TC35-1823	20 cm	2.5 mm
TC35-1824	25 cm	2.5 mm
TC35-1825	30 cm	2.5 mm
TC35-1826	35 cm	2.5 mm
11		
TC35-1827	15 cm	3.0 mm
TC35-1828	20 cm	3.0 mm
TC35-1829	25 cm	3.0 mm
TC35-1830	30 cm	3.0 mm
TC35-1831	35 cm	3.0 mm
TC35-1832	15 cm	3.5 mm
TC35-1833	20 cm	3.5 mm
TC35-1834	25 cm	3.5 mm
TC35-1835	30 cm	3.5 mm
TC35-1836	35 cm	3.5 mm





Three Port Harvester Cannula, Model 4





with Luer Lock Connector

Item Code	Size	Diameter
TC35-1837	12 cm	1.5 mm
TC35-1838	15cm	1.5 mm
TC35-1839	20 cm	1.5 mm
TC35-1840	25 cm	1.5 mm
TC35-1841	12 cm	2.0 mm
TC35-1842	15cm	2.0 mm
TC35-1843	20 cm	2.0 mm
TC35-1844	25 cm	2.0 mm
TC35-1845	12 cm	2.5 mm
TC35-1846	15cm	2.5 mm
TC35-1847	20 cm	2.5 mm
TC35-1848	25 cm	2.5 mm
TC35-1849	12 cm	3.0 mm
TC35-1850	15cm	3.0 mm
TC35-1851	20 cm	3.0 mm
TC35-1852	25 cm	3.0 mm



with Special Luer Lock Connector

Item Code	Size	Diameter
TC35-1853	12 cm	1.5 mm
TC35-1854	15cm	1.5 mm
TC35-1855	20 cm	1.5 mm
TC35-1856	25 cm	1.5 mm
TC35-1857	12 cm	2.0 mm
TC35-1858	15cm	2.0 mm
TC35-1859	20 cm	2.0 mm
TC35-1860	25 cm	2.0 mm

Item Code	Size	Diameter
TC35-1861	12 cm	2.5 mm
TC35-1862	15cm	2.5 mm
TC35-1863	20 cm	2.5 mm
TC35-1864	25 cm	2.5 mm
TC35-1865	12 cm	3.0 mm
TC35-1866	15cm	3.0 mm
TC35-1867	20 cm	3.0 mm
TC35-1868	25 cm	3.0 mm




with Super Handle

Item Code	Size	Diameter
TC35-1869	15 cm	2.5 mm
TC35-1870	20 cm	2.5 mm
TC35-1871	25 cm	2.5 mm
TC35-1872	30 cm	2.5 mm
TC35-1873	35 cm	2.5 mm
TC35-1874	15 cm	3.0 mm
TC35-1875	20 cm	3.0 mm
TC35-1876	25 cm	3.0 mm
TC35-1877	30 cm	3.0 mm
TC35-1878	35 cm	3.0 mm
TC35-1879	15 cm	3.5 mm
TC35-1880	20 cm	3.5 mm
TC35-1881	25 cm	3.5 mm
TC35-1882	30 cm	3.5 mm
TC35-1883	35 cm	3.5 mm
		#1180 PRINTED
TC35-1884	15 cm	4.0 mm
TC35-1885	20 cm	4.0 mm
TC35-1886	25 cm	4.0 mm
TC35-1887	30 cm	4.0 mm
TC35-1888	35 cm	4.0 mm



Item Code	Size	Diameter
TC35-1889	15 cm	4.5 mm
TC35-1890	20 cm	4.5 mm
TC35-1891	25 cm	4.5 mm
TC35-1892	30 cm	4.5 mm
TC35-1893	35 cm	4.5 mm



with Threaded Fitting

Item Code	Size	Diameter	TOOL	1004	15
TC35-1894	15 cm	2.5 mm		-1924	15 cm
TC35-1895	20 cm	2.5 mm		-1925	20 cm
TC35-1896	25 cm	2.5 mm	-	-1926	25 cm
TC35-1897	30 cm	2.5 mm		-1927	30 cm
TC35-1898	35 cm	2.5 mm	_1035	-1928	35 cm
TC35-1899	15 cm	3.0 mm	TC35	-1929	15 cm
TC35-1900	20 cm	3.0 mm	_TC35	-1930	20 cm
TC35-1700	25 cm	3.0 mm	TC35	-1931	25 cm
TC35-1701	30 cm	3.0 mm	TC35	-1932	30 cm
TC35-1702	35 cm	3.0 mm	TC35	-1933	35 cm
1000-1700	33 CH	3.011111			
TC35-1904	15 cm	3.5 mm	_TC35	-1934	15 cm
TC35-1905	20 cm	3.5 mm		-1935	20 cm
TC35-1906	25 cm	3.5 mm		-1936	25 cm
TC35-1700	30 cm	3.5 mm	-	-1937	30 cm
TC35-1707	35 cm	3.5 mm	TC35	-1938	35 cm
1003-1700	00 0111	0.0111111			
TC35-1909	15 cm	4.0 mm	_	-1939	15 cm
TC35-1910	20 cm	4.0 mm	the same of the sa	-1940	20 cm
TC35-1911	25 cm	4.0 mm	-	-1941	25 cm
TC35-1912	30 cm	4.0 mm	-	-1942	30 cm
TC35-1913	35 cm	4.0 mm	_TC35	-1943	35 cm
				1	- 1
TC35-1914	15 cm	4.5 mm			1 1
TC35-1915	20 cm	4.5 mm	()		
TC35-1916	25 cm	4.5 mm			1 1 1
TC35-1917	30 cm	4.5 mm	-		
TC35-1918	35 cm	4.5 mm			
		M			



with Mini Threaded Fitting

Item Code	Size	Diameter
TC35-1919	15 cm	2.5 mm
TC35-1920	20 cm	2.5 mm
TC35-1921	25 cm	2.5 mm
TC35-1922	30 cm	2.5 mm
TC35-1923	35 cm	2.5 mm
TC35-1924	15 cm	3.0 mm
TC35-1925	20 cm	3.0 mm
TC35-1926	25 cm	3.0 mm
TC35-1927	30 cm	3.0 mm
TC35-1928	35 cm	3.0 mm
TC35-1929	15 cm	3.5 mm
TC35-1930	20 cm	3.5 mm
TC35-1931	25 cm	3.5 mm
TC35-1932	30 cm	3.5 mm
TC35-1933	35 cm	3.5 mm
TC35-1934	15 cm	4.0 mm
TC35-1935	20 cm	4.0 mm
TC35-1936	25 cm	4.0 mm
TC35-1937	30 cm	4.0 mm
TC35-1938	35 cm	4.0 mm
TC35-1939	15 cm	4.5 mm
TC35-1940	20 cm	4.5 mm
TC35-1941	25 cm	4.5 mm
TC35-1942	30 cm	4.5 mm
TC35-1943	35 cm	4.5 mm



Rounded Blunt Tip Injector Cannula





with Luer Lock Connector



with Special Luer Lock Connector

Item Code	Size	Diameter
TC35-1944	4 cm	1.0 mm
TC35-1945	5 cm 🥌	1.0 mm
TC35-1946	7 cm	1.0 mm
TC35-1947	12 cm	1.0 mm
TC35-1948	15 cm	1.0 mm
TC35-1949	20 cm	1.0 mm
TC35-1950	4 cm	1.5 mm
TC35-1951	5 cm	1.5 mm
TC35-1952	7 cm	1.5 mm
TC35-1953	12 cm	1.5 mm
TC35-1954	15 cm	1.5 mm
TC35-1955	20 cm	1.5 mm

Item Code	Size	Diameter
TC35-1956	4 cm	1.0 mm
TC35-1957	5 cm	1.0 mm
TC35-1958	7 cm	1.0 mm
TC35-1959	12 cm	1.0 mm
TC35-1960	15 cm	1.0 mm
TC35-1961	20 cm	1.0 mm
TC35-1962	4 cm	1.5 mm
TC35-1963	5 cm	1.5 mm
TC35-1964	7 cm	1.5 mm
TC35-1965	12 cm	1.5 mm
TC35-1966	15 cm	1.5 mm
TC35-1967	20 cm	1.5 mm





Little Blunt Tip Injector Cannula





with Luer Lock Connector



with Special Luer Lock Connector

Item Code	Size	Diameter
TC35-1968	4 cm	1.0 mm
TC35-1969	5 cm	1.0 mm
TC35-1970	7 cm	1.0 mm
TC35-1971	4 cm	1.5 mm
TC35-1972	5 cm	1.5 mm
TC35-1973	7 cm	1.5 mm

Item Code	Size	Diameter
TC35-1974	4 cm	1.0 mm
TC35-1975	5 cm	1.0 mm
TC35-1976	7 cm	1.0 mm
TC35-1977	4 cm	1.5 mm
TC35-1978	5 cm	1.5 mm
TC35-1979	7 cm	1.5 mm





Spoon Tip Injector Cannula





with Luer Lock Connector



with Special Luer Lock Connector

Item Code	Size	Diameter
TC35-1980	7 cm	1.5 mm
TC35-1981	9 cm	1.5 mm
TC35-1982	12 cm	1.5 mm
TC35-1983	15cm	1.5 mm
TC35-1984	20 cm	1.5 mm
TC35-1985	25 cm	1.5 mm
TC35-1986	7 cm	2.0 mm
TC35-1987	9 cm	2.0 mm
TC35-1988	12 cm	2.0 mm
TC35-1989	15cm	2.0 mm
TC35-1990	20 cm	2.0 mm
TC35-1991	25 cm	2.0 mm
TC35-1992	7 cm	2.5 mm
TC35-1993	9 cm	2.5 mm
TC35-1994	12 cm	2.5 mm
TC35-1995	15cm	2.5 mm
TC35-1996	20 cm	2.5 mm
TC35-1997	25 cm	2.5 mm
TC35-1998	7 cm	3.5 mm
TC35-1999	9 cm	3.5 mm
TC35-2000	12 cm	3.5 mm
TC35-2001	15cm	3.5 mm
TC35-2002	20 cm	3.5 mm
TC35-2003	25 cm	3.5 mm

Diameter 1	Item Code	Size	Diameter
1.5 mm	TC35-2004	7 cm	1.5 mm
1.5 mm	TC35-2005	9 cm	1.5 mm
1.5 mm	TC35-2006	12 cm	1.5 mm
1.5 mm	TC35-2007	15cm	1.5 mm
1.5 mm	TC35-2008	20 cm	1.5 mm
1.5 mm	TC35-2009	25 cm	1.5 mm
			2013 T. B. C.
2.0 mm	TC35-2010	7 cm	2.0 mm
2.0 mm	TC35-2011	9 cm	2.0 mm
2.0 mm	TC35-2012	12 cm	2.0 mm
2.0 mm	TC35-2013	15cm	2.0 mm
2.0 mm	TC35-2014	20 cm	2.0 mm
2.0 mm	TC35-2015	25 cm	2.0 mm
2.5 mm	TC35-2016	7 cm	2.5 mm
2.5 mm	TC35-2017	9 cm	2.5 mm
2.5 mm	TC35-2018	12 cm	2.5 mm
2.5 mm	TC35-2019	15cm	2.5 mm
2.5 mm	TC35-2020	20 cm	2.5 mm
2.5 mm	TC35-2021	25 cm	2.5 mm
3.5 mm	TC35-2022	7 cm	3.5 mm
3.5 mm	TC35-2023	9 cm	3.5 mm
3.5 mm	TC35-2024	12 cm	3.5 mm
3.5 mm	TC35-2025	15cm	3.5 mm
3.5 mm	TC35-2026	20 cm	3.5 mm
3.5 mm	TC35-2027	25 cm	3.5 mm
	-nic		
141.			





with Super Handle



with Mini Threaded Fitting


Item Code	Size	Diameter
TC35-2028	15 cm	2.5 mm
TC35-2029	20 cm	2.5 mm
TC35-2030	25 cm	2.5 mm
TC35-2031	15 cm	3.0 mm
TC35-2032	20 cm	3.0 mm
TC35-2033	25 cm	3.0 mm
TC35-2034	15 cm	3.5 mm
TC35-2035 20 cm		3.5 mm
TC35-2036	25 cm	3.5 mm

Item Code	Size	Diameter	
TC35-2046	15 cm	2.5 mm	
TC35-2047	20 cm	2.5 mm	
TC35-2048	25 cm	2.5 mm	
TC35-2049	15 cm	3.0 mm	
TC35-2050	20 cm	3.0 mm	
TC35-2051	25 cm	3.0 mm	
TC35-2052	15 cm	3.5 mm	
TC35-2053	20 cm	3.5 mm	
TC35-2054	25 cm	3.5 mm	



with Threaded Fitting

Size	Diameter	
15 cm	2.5 mm	
20 cm	2.5 mm	
25 cm	2.5 mm	
15 cm	3.0 mm	
20 cm	3.0 mm	
25 cm	3.0 mm	
15 cm	3.5 mm	
20 cm	3.5 mm	
25 cm	3.5 mm	
	15 cm 20 cm 25 cm 15 cm 20 cm 25 cm	



LIPOSUCTION CANNULAS



Graduated Spiral Ports Injector Cannula





with Luer Lock Connector

-

with Special Luer Lock Connector

Item Code	Size	Diameter	
TC35-2055	5 cm	1.0 mm	

Item Code	Size	Diameter	
TC35-2056	5 cm	1.0 mm	





Tapered Tip Two Ports Cannula





with Luer Lock Connector

-	2000

with Super Handle

Item Code	Size	Diameter
TC35-2057	15 cm	2.0 mm
TC35-2058	20 cm	2.0 mm
TC35-2059	25 cm	2.0 mm
TC35-2060	15 cm	2.5 mm
TC35-2061	20 cm	2.5 mm
TC35-2062	25 cm	2.5 mm
TC35-2063	15 cm	3.0 mm
TC35-2064	20 cm	3.0 mm
TC35-2065	25 cm	3.0 mm

-	

with Special Luer Lock Connector

Item Code	Size	Diameter
TC35-2066	15 cm	2.0 mm
TC35-2067	20 cm	2.0 mm
TC35-2068	25 cm	2.0 mm
TC35-2069	15 cm	2.5 mm
TC35-2070	20 cm	2.5 mm
TC35-2071	25 cm	2.5 mm
TC35-2072	15 cm	3.0 mm
TC35-2073	20 cm	3.0 mm
TC35-2074	25 cm	3.0 mm

Item Code	Size	Diameter
TC35-2075	15 cm	2.5 mm
TC35-2076	20 cm	2.5 mm
TC35-2077	25 cm	2.5 mm
TC35-2078	30 cm	2.5 mm
TC35-2079	35 cm	2.5 mm
TC35-2080	15 cm	3.0 mm
TC35-2081	20 cm	3.0 mm
TC35-2082	25 cm	3.0 mm
TC35-2083	30 cm	3.0 mm
TC35-2084	35 cm	3.0 mm
TC35-2085	15 cm	3.5 mm
TC35-2086	20 cm	3.5 mm
TC35-2087	25 cm	3.5 mm
TC35-2088	30 cm	3.5 mm
TC35-2089	35 cm	3.5 mm
TC35-2090	15 cm	4.0 mm
TC35-2091	20 cm	4.0 mm
TC35-2092	25 cm	4.0 mm
TC35-2093	30 cm	4.0 mm
TC35-2094	35 cm	4.0 mm
TC35-2095	15 cm	4.5 mm
TC35-2096	20 cm	4.5 mm
TC35-2097	25 cm	4.5 mm
TC35-2098	30 cm	4.5 mm
TC35-2099	35 cm	4.5 mm
17.5		

LIPOSUCTION CANNULAS





with Threaded Fitting



with Mini Threaded Fitting

Item Code	Size	Diameter	Item Code	Size
TC35-2100	15 cm	2.5 mm	TC35-2125	15 cm
TC35-2101	20 cm	2.5 mm	TC35-2126	20 cm
TC35-2102	25 cm	2.5 mm	TC35-2127	25 cm
TC35-2103	30 cm	2.5 mm	TC35-2128	30 cm
TC35-2104	35 cm	2.5 mm	TC35-2129	35 cm
			THE STATE OF THE S	
TC35-2105	15 cm	3.0 mm	TC35-2130	15 cm
TC35-2106	20 cm	3.0 mm	TC35-2131	20 cm
TC35-2107	25 cm	3.0 mm	TC35-2132	25 cm
TC35-2108	30 cm	3.0 mm	TC35-2133	30 cm
TC35-2109	35 cm	3.0 mm	TC35-2134	35 cm
47				
TC35-2110	15 cm	3.5 mm	TC35-2135	15 cm
TC35-2111	20 cm	3.5 mm	TC35-2136	20 cm
TC35-2112	25 cm	3.5 mm	TC35-2137	25 cm
TC35-2113	30 cm	3.5 mm	TC35-2138	30 cm
TC35-2114	35 cm	3.5 mm	TC35-2139	35 cm
TC35-2115	15 cm	4.0 mm	TC35-2140	15 cm
TC35-2116	20 cm	4.0 mm	TC35-2141	20 cm
TC35-2117	25 cm	4.0 mm	TC35-2142	25 cm
TC35-2118	30 cm	4.0 mm	TC35-2143	30 cm
TC35-2119	35 cm	4.0 mm	TC35-2144	35 cm
TC35-2120	15 cm	4.5 mm	TC35-2145	15 cm
TC35-2121	20 cm	4.5 mm	TC35-2146	20 cm
TC35-2122	25 cm	4.5 mm	TC35-2147	25 cm
TC35-2123	30 cm	4.5 mm	TC35-2148	30 cm
TC35-2124	35 cm	4.5 mm	TC35-2149	35 cm
		M	DICI	

Item Code	Size	Diameter
TC35-2125	15 cm	2.5 mm
TC35-2126	20 cm	2.5 mm
TC35-2127	25 cm	2.5 mm
TC35-2128	30 cm	2.5 mm
TC35-2129	35 cm	2.5 mm
1		
TC35-2130	15 cm	3.0 mm
TC35-2131	20 cm	3.0 mm
TC35-2132	25 cm	3.0 mm
TC35-2133	30 cm	3.0 mm
TC35-2134	35 cm	3.0 mm
TC35-2135	15 cm	3.5 mm
TC35-2136	20 cm	3.5 mm
TC35-2137	25 cm	3.5 mm
TC35-2138	30 cm	3.5 mm
TC35-2139	35 cm	3.5 mm
TC35-2140	15 cm	4.0 mm
TC35-2141	20 cm	4.0 mm
TC35-2142	25 cm	4.0 mm
TC35-2143	30 cm	4.0 mm
TC35-2144	35 cm	4.0 mm
T005 0145	15.000	4 E nama
TC35-2145	15 cm	4.5 mm
TC35-2146	20 cm	4.5 mm
TC35-2147	25 cm	4.5 mm
TC35-2148	30 cm	4.5 mm
TC35-2149	35 cm	4.5 mm



Rounded Tip Two Ports Cannula





with Luer Lock Connector



with Super Handle

Item Code	Size	Diameter
TC35-2150	15cm	2.0 mm
TC35-2151	20 cm	2.0 mm
TC35-2152	25 cm	2.0 mm
TC35-2153	15cm	2.5 mm
TC35-2154	20 cm	2.5 mm
TC35-2155	25 cm	2.5 mm
TC35-2156	15cm	3.0 mm
TC35-2157	20 cm	3.0 mm
TC35-2158	25 cm	3.0 mm



with Special Luer Lock Connector

Item Code	Size	Diameter
TC35-2159	15cm	2.0 mm
TC35-2160	20 cm	2.0 mm
TC35-2161	25 cm	2.0 mm
TC35-2162	15cm	2.5 mm
TC35-2163	20 cm	2.5 mm
TC35-2164	25 cm	2.5 mm
TC35-2165	15cm	3.0 mm
TC35-2166	20 cm	3.0 mm
TC35-2167	25 cm	3.0 mm

Item Code	Size	Diameter
TC35-2168	15 cm	2.5 mm
TC35-2169	20 cm	2.5 mm
TC35-2170	25 cm	2.5 mm
TC35-2171	30 cm	2.5 mm
TC35-2172	35 cm	2.5 mm
TC35-2173	15 cm	3.0 mm
TC35-2174	20 cm	3.0 mm
TC35-2175	25 cm	3.0 mm
TC35-2176	30 cm	3.0 mm
TC35-2177	35 cm	3.0 mm
TC35-2178	15 cm	3.5 mm
TC35-2179	20 cm	3.5 mm
TC35-2180	25 cm	3.5 mm
TC35-2181	30 cm	3.5 mm
TC35-2182	35 cm	3.5 mm
TC35-2183	15 cm	4.0 mm
TC35-2184	20 cm	4.0 mm
TC35-2185	25 cm	4.0 mm
TC35-2186	30 cm	4.0 mm
TC35-2187	35 cm	4.0 mm
TC35-2188	15 cm	4.5 mm
TC35-2189	20 cm	4.5 mm
TC35-2190	25 cm	4.5 mm
TC35-2191	30 cm	4.5 mm
TC35-2192	35 cm	4.5 mm
11 11		





with Threaded Fitting



with Mini Threaded Fitting

Hom Codo	Ciro	Diameter	Hom Codo	Ciro
Item Code	Size	Diameter	Item Code	Size
TC35-2193	15 cm	2.5 mm	TC35-2218	15 cm
TC35-2194	20 cm	2.5 mm	TC35-2219	20 cm
TC35-2195	25 cm	2.5 mm	TC35-2220	25 cm
TC35-2196	30 cm	2.5 mm	TC35-2221	30 cm
TC35-2197	35 cm	2.5 mm	TC35-2222	35 cm
TC35-2198	15 cm	3.0 mm	TC35-2223	15 cm
TC35-2199	20 cm	3.0 mm	TC35-2224	20 cm
TC35-2200	25 cm	3.0 mm	TC35-2225	25 cm
TC35-2201	30 cm	3.0 mm	TC35-2226	30 cm
TC35-2202	35 cm	3.0 mm	TC35-2227	35 cm
TC35-2203	15 cm	3.5 mm	TC35-2228	15 cm
TC35-2204	20 cm	3.5 mm	TC35-2229	20 cm
TC35-2205	25 cm	3.5 mm	TC35-2230	25 cm
TC35-2206	30 cm	3.5 mm	TC35-2231	30 cm
TC35-2207	35 cm	3.5 mm	TC35-2232	35 cm
		10		
TC35-2208	15 cm	4.0 mm	TC35-2233	15 cm
TC35-2209	20 cm	4.0 mm	TC35-2234	20 cm
TC35-2210	25 cm	4.0 mm	TC35-2235	25 cm
TC35-2211	30 cm	4.0 mm	TC35-2236	30 cm
TC35-2212	35 cm	4.0 mm	TC35-2237	35 cm
		100000000000000000000000000000000000000		
TC35-2213	15 cm	4.5 mm	TC35-2238	15 cm
TC35-2214	20 cm	4.5 mm	TC35-2239	20 cm
TC35-2215	25 cm	4.5 mm	TC35-2240	25 cm
TC35-2216	30 cm	4.5 mm	TC35-2241	30 cm
TC35-2217	35 cm	4.5 mm	TC35-2242	35 cm
		M	DICI	11

Item Code	Size	Diameter
TC35-2218	15 cm	2.5 mm
TC35-2219	20 cm	2.5 mm
TC35-2220	25 cm	2.5 mm
TC35-2221	30 cm	2.5 mm
TC35-2222	35 cm	2.5 mm
H		
TC35-2223	15 cm	3.0 mm
TC35-2224	20 cm	3.0 mm
TC35-2225	25 cm	3.0 mm
TC35-2226	30 cm	3.0 mm
TC35-2227	35 cm	3.0 mm
TC35-2228	15 cm	3.5 mm
TC35-2229	20 cm	3.5 mm
TC35-2230	25 cm	3.5 mm
TC35-2231	30 cm	3.5 mm
TC35-2232	35 cm	3.5 mm
TC35-2233	15 cm	4.0 mm
TC35-2234	20 cm	4.0 mm
TC35-2235	25 cm	4.0 mm
TC35-2236	30 cm	4.0 mm
TC35-2237	35 cm	4.0 mm
TC35-2238	15 cm	4.5 mm
TC35-2239	20 cm	4.5 mm
TC35-2240	25 cm	4.5 mm
TC35-2241	30 cm	4.5 mm
TC35-2242	35 cm	4.5 mm



Three Ports Pyramid Cannula





with Luer Lock Connector


Item Code	Size	Diameter
TC35-2243	12 cm	1.5 mm
TC35-2244	15 cm	1.5 mm
TC35-2245	20 cm	1.5 mm
TC35-2246	25 cm	1.5 mm
TC35-2247	12 cm	2.0 mm
TC35-2248	15 cm	2.0 mm
TC35-2249	20 cm	2.0 mm
TC35-2250	25 cm	2.0 mm
TC35-2251	12 cm	2.5 mm
TC35-2252	15 cm	2.5 mm
TC35-2253	20 cm	2.5 mm
TC35-2254	25 cm	2.5 mm
TC35-2255	12 cm	3.0 mm
TC35-2256	15 cm	3.0 mm
TC35-2257	20 cm	3.0 mm
TC35-2258	25 cm	3.0 mm



with Special Luer Lock Connector

Item Code	Size	Diameter
TC35-2259	12 cm	2.5 mm
TC35-2260	15 cm	2.5 mm
TC35-2261	20 cm	2.5 mm
TC35-2262	25 cm	2.5 mm
TC35-2263	12 cm	3.0 mm
TC35-2264	15 cm	3.0 mm
TC35-2265	20 cm	3.0 mm
TC35-2266	25 cm	3.0 mm

Item Code	Size	Diameter
TC35-2264	12 cm	2.5 mm
TC35-2265	15 cm	2.5 mm
TC35-2266	20 cm	2.5 mm
TC35-2267	25 cm	2.5 mm
TC35-2268	12 cm	3.0 mm
TC35-2269	15 cm	3.0 mm
TC35-2270	20 cm	3.0 mm
TC35-2271	25 cm	3.0 mm



with Super Handle

Item Code	Size	Diameter
TC35-2272	15 cm	2.5 mm
TC35-2273	20 cm	2.5 mm
TC35-2274	25 cm	2.5 mm
TC35-2275	30 cm	2.5 mm
TC35-2276	35 cm	2.5 mm
TC35-2277	15 cm	3.0 mm
TC35-2278	20 cm	3.0 mm
TC35-2279	25 cm	3.0 mm
TC35-2280	30 cm	3.0 mm
TC35-2281	35 cm	3.0 mm
1		
TC35-2282	15 cm	3.5 mm
TC35-2283	20 cm	3.5 mm
TC35-2284	25 cm	3.5 mm
TC35-2285	30 cm	3.5 mm
TC35-2286	35 cm	3.5 mm
T007 0007	10	40
TC35-2287	15 cm	4.0 mm
TC35-2288	20 cm	4.0 mm
TC35-2289	25 cm	4.0 mm
TC35-2290	30 cm	4.0 mm
TC35-2291	35 cm	4.0 mm
TC35-2292	15 cm	4.5 mm
TC35-2293	20 cm	4.5 mm
TC35-2294	25 cm	4.5 mm
TC35-2295	30 cm	4.5 mm
TC35-2296	35 cm	4.5 mm





with Threaded Fitting

Item Code	Size	Diameter
TC35-2297	15 cm	2.5 mm
TC35-2298	20 cm	2.5 mm
TC35-2299	25 cm	2.5 mm
TC35-2300	30 cm	2.5 mm
TC35-2301	35 cm	2.5 mm
TC35-2302	15 cm	3.0 mm
TC35-2303	20 cm	3.0 mm
TC35-2304	25 cm	3.0 mm
TC35-2305	30 cm	3.0 mm
TC35-2306	35 cm	3.0 mm
T025 2207	15 000	2 E mans
TC35-2307	15 cm	3.5 mm
TC35-2308	20 cm	3.5 mm
TC35-2309	25 cm	3.5 mm
TC35-2310	30 cm	3.5 mm
TC35-2311	35 cm	3.5 mm
TC35-2312	15 cm	4.0 mm
TC35-2313	20 cm	4.0 mm
TC35-2314	25 cm	4.0 mm
TC35-2315	30 cm	4.0 mm
TC35-2316	35 cm	4.0 mm
TC35-2317	15 cm	4.5 mm
TC35-2318	20 cm	4.5 mm
TC35-2319	25 cm	4.5 mm
TC35-2320	30 cm	4.5 mm
TC35-2321	35 cm	4.5 mm



MEDICA

with Mini Threaded Fitting

Item Code	Size	Diameter
TC35-2322	15 cm	2.5 mm
TC35-2323	20 cm	2.5 mm
TC35-2324	25 cm	2.5 mm
TC35-2325	30 cm	2.5 mm
TC35-2326	35 cm	2.5 mm
4 11.		
TC35-2327	15 cm	3.0 mm
TC35-2328	20 cm	3.0 mm
TC35-2329	25 cm	3.0 mm
TC35-2330	30 cm	3.0 mm
TC35-2331	35 cm	3.0 mm
TC35-2332	15 cm	3.5 mm
TC35-2333	20 cm	3.5 mm
TC35-2334	25 cm	3.5 mm
TC35-2335	30 cm	3.5 mm
TC35-2336	35 cm	3.5 mm
TC35-2337	15 cm	4.0 mm
TC35-2338	20 cm	4.0 mm
TC35-2339	25 cm	4.0 mm
TC35-2340	30 cm	4.0 mm
TC35-2341	35 cm	4.0 mm
	200000000	
TC35-2342	15 cm	4.5 mm
TC35-2343	20 cm	4.5 mm
TC35-2344	25 cm	4.5 mm
TC35-2345	30 cm	4.5 mm
TC35-2346	35 cm	4.5 mm



Tapered Tip speed cannula Cannula with multiple holes





with Luer Lock Connector



with Threaded Fitting

Item Code	Size	Diameter
TC35-2347	15cm	3.0 mm
TC35-2348	20 cm	3.0 mm
TC35-2349	25 cm	3.0 mm



with Special Luer Lock Connector

Item Code	Size	Diameter
TC35-2363	15 cm	3.0 mm
TC35-2364	20 cm	3.0 mm
TC35-2365	25 cm	3.0 mm
TC35-2366	30 cm	3.0 mm
TC35-2367	35 cm	3.0 mm
TC35-2368	15 cm	3.5 mm
TC35-2369	20 cm	3.5 mm
TC35-2370	25 cm	3.5 mm
TC35-2371	30 cm	3.5 mm
TC35-2372	35 cm	3.5 mm

Item Code	Size	Diameter
TC35-2350	15cm	3.0 mm
TC35-2351	20 cm	3.0 mm
TC35-2352	25 cm	3.0 mm



with Super Handle

Item Code	Size	Diameter
TC35-2353	15 cm	3.0 mm
TC35-2354	20 cm	3.0 mm
TC35-2355	25 cm	3.0 mm
TC35-2356	30 cm	3.0 mm
TC35-2357	35 cm	3.0 mm
TC35-2358	15 cm	3.5 mm
TC35-2359	20 cm	3.5 mm
TC35-2360	25 cm	3.5 mm
TC35-2361	30 cm	3.5 mm
TC35-2362	35 cm	3.5 mm



with Mini Threaded Fitting

Item Code	Size	Diameter
TC35-2373	15 cm	3.0 mm
TC35-2374	20 cm	3.0 mm
TC35-2375	25 cm	3.0 mm
TC35-2376	30 cm	3.0 mm
TC35-2377	35 cm	3.0 mm
TC35-2378	15 cm	3.5 mm
TC35-2379	20 cm	3.5 mm
TC35-2380	25 cm	3.5 mm
TC35-2381	30 cm	3.5 mm
TC35-2382	35 cm	3.5 mm



Liposuction Cannulas, One Central Hole, Two Lateral Holes





with Luer Lock Connector

7	2000

with Super Handle

MEDICI

Size	Diameter
20 cm	3.0 mm
30 cm	3.0 mm
40 cm	3.0 mm
20 cm	4.0 mm
30 cm	4.0 mm
40 cm	4.0 mm
	20 cm 30 cm 40 cm 20 cm 30 cm



with Special Luer Lock Connector

Item Code	Size	Diameter
TC35-2395	20 cm	3.0 mm
TC35-2396	30 cm	3.0 mm
TC35-2397	40 cm	3.0 mm
TC35-2398	20 cm	4.0 mm
TC35-2399	30 cm	4.0 mm
TC35-2400	40 cm	4.0 mm
TC35-2401	20 cm	5.0 mm
TC35-2402	30 cm	5.0 mm
TC35-2403	40 cm	5.0 mm
TC35-2404	20 cm	6.0 mm
TC35-2405	30 cm	6.0 mm
TC35-2406	40 cm	6.0 mm

Item Code	Size	Diameter
TC35-2389	20 cm	3.0 mm
TC35-2390	30 cm	3.0 mm
TC35-2391	40 cm	3.0 mm
TC35-2392	20 cm	4.0 mm
TC35-2393	30 cm	4.0 mm
TC35-2394	40 cm	4.0 mm





with Threaded Fitting

Size	Diameter
20 cm	3.0 mm
30 cm	3.0 mm
40 cm	3.0 mm
20 cm	4.0 mm
30 cm	4.0 mm
40 cm	4.0 mm
20 cm	5.0 mm
30 cm	5.0 mm
40 cm	5.0 mm
20 cm	6.0 mm
30 cm	6.0 mm
40 cm	6.0 mm
	20 cm 30 cm 40 cm 20 cm 30 cm 40 cm 20 cm 30 cm 40 cm



with Mini Threaded Fitting

Item Code	Size	Diameter
TC35-2419	20 cm	3.0 mm
TC35-2420	30 cm	3.0 mm
TC35-2421	40 cm	3.0 mm
TC35-2422	20 cm	4.0 mm
TC35-2423	30 cm	4.0 mm
TC35-2424	40 cm	4.0 mm
TC35-2425	20 cm	5.0 mm
TC35-2426	30 cm	5.0 mm
TC35-2427	40 cm	5.0 mm
TC35-2428	20 cm	6.0 mm
TC35-2429	30 cm	6.0 mm
TC35-2430	40 cm	6.0 mm





Liposuction Cannulas, Two Lateral Holes, One Central Hole





with Luer Lock Connector

Item Code	Size	Diameter
TC35-2431	20 cm	3.0 mm
TC35-2432	30 cm	3.0 mm
TC35-2433	40 cm	3.0 mm
TC35-2434	20 cm	4.0 mm
TC35-2435	30 cm	4.0 mm
TC35-2436	40 cm	4.0 mm



with Special Luer Lock Connector

Item Code	Size	Diameter
TC35-2437	20 cm	3.0 mm
TC35-2438	30 cm	3.0 mm
TQ35-2439	40 cm	3.0 mm
TC35-2440	20 cm	4.0 mm
TC35-2441	30 cm	4.0 mm
TC35-2442	40 cm	4.0 mm



with Super Hand	le	
Item Code	Size	Diameter
TC35-2443	20 cm	3.0 mm
TC35-2444	30 cm	3.0 mm
TC35-2445	40 cm	3.0 mm

Item Code	Size	Diameter
TC35-2446	20 cm	4.0 mm
TC35-2447	30 cm	4.0 mm
TC35-2448	40 cm	4.0 mm
TC35-2449	20 cm	5.0 mm
TC35-2450	30 cm	5.0 mm
TC35-2451	40 cm	5.0 mm



with Threaded Fitting

	9	
Item Code	Size	Diameter
TC35-2452	20 cm	3.0 mm
TC35-2453	30 cm	3.0 mm
TC35-2454	40 cm	3.0 mm
TC35-2455	20 cm	4.0 mm
TC35-2456	30 cm	4.0 mm
TC35-2457	40 cm	4.0 mm
TC35-2458	20 cm	5.0 mm
TC35-2459	30 cm	5.0 mm
TC35-2460	40 cm	5.0 mm



with Mini Threaded Fitting

Item Code	Size	Diameter
TC35-2461	20 cm	3.0 mm
TC35-2462	30 cm	3.0 mm
TC35-2463	40 cm	3.0 mm
TC35-2464	20 cm	4.0 mm
TC35-2465	30 cm	4.0 mm
TC35-2466	40 cm	4.0 mm
TC35-2467	20 cm	5.0 mm
TC35-2468	30 cm	5.0 mm
TC35-2469	40 cm	5.0 mm



Liposuction Cannulas With Three Holes Diagonal





with Luer Lock Connector

Item Code	Size	Diameter
TC35-2470	20 cm	3.0 mm
TC35-2471	30 cm	3.0 mm
TC35-2472	40 cm	3.0 mm
TC35-2473	20 cm	4.0 mm
TC35-2474	30 cm	4.0 mm
TQ5-2475	40 cm	4.0 mm



with Special Luer Lock Connector

Size	Diameter
20 cm	3.0 mm
30 cm	3.0 mm
40 cm	3.0 mm
20 cm	4.0 mm
30 cm	4.0 mm
40 cm	4.0 mm
	20 cm 30 cm 40 cm 20 cm 30 cm



with Super Handle

Item Code	Size	Diameter
TC35-2482	20 cm	3.0 mm
TQ5-2483	30 cm	3.0 mm
TQ5-2484	40 cm	3.0 mm
TQ5-2485	20 cm	4.0 mm
TQ5-2486	30 cm	4.0 mm
TC35-2487	40 cm	4.0 mm

Item Code	Size	Diameter
TC35-2488	20 cm	5.0 mm
TC35-2489	30 cm	5.0 mm
TC35-2490	40 cm	5.0 mm



with Threaded Fitting

Item Code	Size	Diameter
TC35-2491	20 cm	3.0 mm
TC35-2492	30 cm	3.0 mm
TC35-2493	40 cm	3.0 mm
TC35-2494	20 cm	4.0 mm
TC35-2495	30 cm	4.0 mm
TØ5-2496	40 cm	4.0 mm
TC35-2497	20 cm	5.0 mm
TC35-2498	30 cm	5.0 mm
TC35-2499	40 cm	5.0 mm



with Mini Threaded Fitting

Item Code	Size	Diameter
TC35-2500	20 cm	3.0 mm
TC35-2501	30 cm	3.0 mm
TC35-2502	40 cm	3.0 mm
TQ5-2503	20 cm	4.0 mm
TØ5-2504	30 cm	4.0 mm
TQ5-2505	40 cm	4.0 mm
TC35-2506	20 cm	5.0 mm
TC35-2507	30 cm	5.0 mm
TC35-2508	40 cm	5.0 mm



Liposuction Cannulas, One Central Hole, Two Lateral Holes





with Luer Lock Connector



with Threaded Fitting

Item Code

TC35-2521

TC35-2522

TC35-2523

TC35-2524

TC35-2525

TC35-2526

Item Code	Size	Diameter
TC35-2509	20 cm	4.0 mm
TC35-2510	30 cm	4.0 mm
TC35-2511	40 cm	4.0 mm



with Special Luer Lock Connector

Item Code	Size	Diameter
TC35-2512	20 cm	4.0 mm
TC35-2513	30 cm	4.0 mm
TC35-2514	40 cm	4.0 mm



with Mini Threaded Fitting

	-
	THE REAL PROPERTY.

with Super Handle

Item Code	Size	Diameter
TC35-2515	20 cm	4.0 mm
TC35-2516	30 cm	4.0 mm
TC35-2517	40 cm	4.0 mm
TC35-2518	20 cm	5.0 mm
TC35-2519	30 cm	5.0 mm
TC35-2520	40 cm	5.0 mm

	Item Code	Size	Diameter
- 1	TC35-2527	20 cm	4.0 mm
own .	TC35-2528	30 cm	4.0 mm
	TC35-2529	40 cm	4.0 mm
	TC35-2530	20 cm	5.0 mm
	TC35-2531	30 cm	5.0 mm
	TC35-2532	40 cm	5.0 mm
E	DIC		

Size

20 cm

30 cm

40 cm

20 cm

30 cm

40 cm

Diameter

4.0 mm

4.0 mm

4.0 mm

5.0 mm

5.0 mm

5.0 mm



Liposuction Cannula, Tip With Hole, One Central Hole





with Luer Lock Connector

Item Code	Size	Diameter
TC35-2533	20 cm	3.0 mm
TC35-2534	30 cm	3.0 mm
TC35-2535	40 cm	3.0 mm



with Special Luer Lock Connector

Item Code	Size	Diameter
TC35-2536	20 cm	3.0 mm
TC35-2537	30 cm	3.0 mm
TC35-2538	40 cm	3.0 mm



with Super Handle

Item Code	Size	Diameter	
TC35-2539	20 cm	3.0 mm	
TC35-2540	30 cm	3.0 mm	
TC35-2541	40 cm	3.0 mm	



with Threaded Fitting

Item Code	Size	Diameter
TC35-2542	20 cm	3.0 mm
TC35-2543	30 cm	3.0 mm
TC35-2544	40 cm	3.0 mm



with Mini Threaded Fitting

Item Code	Size	Diameter
TC35-2545	20 cm	3.0 mm
TC35-2546	30 cm	3.0 mm
TC35-2547	40 cm	3.0 mm



Toledo, one central hole, Fork shaped, rounded tips, dissecting surface between tips





with Luer Lock Connector



with Super Handle

Item Code	Size	Diameter
TC35-2548	5 cm	2.0 mm
TC35-2549	15 cm	2.0 mm
TC35-2550	25 cm	2.0 mm
TC35-2551	30 cm	2.0 mm
TC35-2552	5 cm	3.0 mm
TC35-2553	15 cm	3.0 mm
TC35-2554	25 cm	3.0 mm
TC35-2555	30 cm	3.0 mm
TC35-2556	5 cm	4.0 mm
TC35-2557	15 cm	4.0 mm
TC35-2558	25 cm	4.0 mm
TC35-2559	30 cm	4.0 mm

-	

with Special Luer Lock Connector

Item Code	Size	Diameter
TC35-2560	5 cm	2.0 mm
TC35-2561	15 cm	2.0 mm
TC35-2562	25 cm	2.0 mm
TC35-2563	30 cm	2.0 mm
TC35-2564	5 cm	3.0 mm
TC35-2565	15 cm	3.0 mm
TC35-2566	25 cm	3.0 mm
TC35-2567	30 cm	3.0 mm
TC35-2568	5 cm	4.0 mm
TC35-2569	15 cm	4.0 mm
TC35-2570	25 cm	4.0 mm
TC35-2571	30 cm	4.0 mm
-00 207 1	00 0111	

Item Code	Size	Diameter
TC35-2572	5 cm	2.0 mm
TC35-2573	15 cm	2.0 mm
TC35-2574	25 cm	2.0 mm
TC35-2575	30 cm	2.0 mm
TC35-2576	5 cm	3.0 mm
TC35-2577	15 cm	3.0 mm
TC35-2578	25 cm	3.0 mm
TC35-2579	30 cm	3.0 mm
TC35-2580	5 cm	4.0 mm
TC35-2581	15 cm	4.0 mm
TC35-2582	25 cm	4.0 mm
TC35-2583	30 cm	4.0 mm
TC35-2584	5 cm	5.0 mm
TC35-2585	15 cm	5.0 mm
TC35-2586	25 cm	5.0 mm
TC35-2587	30 cm	5.0 mm





with Threaded Fitting



MEDIC

with	Mini	Thre	ad	he	Fitting
WIII I	//////	HIHE	cour	-	riiiiiiiii

Item Code	Size	Diameter
TC35-2588	5 cm	2.0 mm
TC35-2589	15 cm	2.0 mm
TC35-2590	25 cm	2.0 mm
TC35-2591	30 cm	2.0 mm
TC35-2592	5 cm	3.0 mm
TC35-2593	15 cm	3.0 mm
TC35-2594	25 cm	3.0 mm
TC35-2595	30 cm	3.0 mm
-		N.
TC35-2596	5 cm	4.0 mm
TC35-2597	15 cm	4.0 mm
TC35-2598	25 cm	4.0 mm
TC35-2599	30 cm	4.0 mm
TC35-2600	5 cm	5.0 mm
TC35-2601	15 cm	5.0 mm
TC35-2602	25 cm	5.0 mm
TC35-2603	30 cm	5.0 mm

Ham Cada	C!	Diamedes
Item Code	Size	Diameter
TC35-2604	5 cm	2.0 mm
TC35-2605	15 cm	2.0 mm
TC35-2606	25 cm	2.0 mm
TC35-2607	30 cm	2.0 mm
-11		
TC35-2608	5 cm	3.0 mm
TC35-2609	15 cm	3.0 mm
TC35-2610	25 cm	3.0 mm
TC35-2611	30 cm	3.0 mm
TC35-2612	5 cm	4.0 mm
TC35-2613	15 cm	4.0 mm
TC35-2614	25 cm	4.0 mm
TC35-2615	30 cm	4.0 mm
TC35-2616	5 cm	5.0 mm
TC35-2617	15 cm	5.0 mm
TC35-2618	25 cm	5.0 mm
TC35-2619	30 cm	5.0 mm



Mercedes Liposution Cannula, Three Lateral Holes



with Luer Lock Connector



Item Code	Size	Diameter
TC35-2620	15 cm	3.0 mm
TC35-2621	25 cm	3.0 mm
TC35-2622	15 cm	4.0 mm
TC35-2623	25 cm	4.0 mm


Item Code	Size	Diameter	
TC35-2628	15 cm	3.0 mm	
TC35-2629	25 cm	3.0 mm	
TC35-2630	15 cm	4.0 mm	
TC35-2631	25 cm	4.0 mm	



with Special Luer Lock Connector



Size	Diameter
15 cm	3.0 mm
25 cm	3.0 mm
15 cm	4.0 mm
25 cm	4.0 mm
	15 cm 25 cm



Item Code	Size	Diameter
TC35-2632	15 cm	3.0 mm
TC35-2633	25 cm	3.0 mm
TC35-2634	15 cm	4.0 mm
TC35-2635	25 cm	4.0 mm



MAF	with Mini Thread	ed Fitting	
MIL	Item Code	Size	Diameter
1 .	TC35-2636	15 cm	3.0 mm
	TC35-2637	25 cm	3.0 mm
	TC35-2638	15 cm	4.0 mm
	TC35-2639	25 cm	4.0 mm



Kotzur Liposuction Cannula, 9 holes, for more effective and gentle suction in areas with much connected tissue as in case of Gynecomasty





with Luer Lock Connector



Size

30 cm

Diameter

3.0 mm

with Super Handle

Item Code

TC35-2642

Item Code	Size	Diameter
TC35-2640	30 cm	3.0 mm





with Threaded Fitting

Item Code	Size	Diameter
TC35-2641	30 cm	3.0 mm

with Special Luer Lock Connector

Item Code	Size	Diameter
TC35-2643	30 cm	3.0 mm



with Mini Threaded Fitting

	Item Code	Size	Diameter
	TC35-2644	30 cm	3.0 mm
		1101	
	-11		
	D.		
MIL			
14.			



Liposuction Cannula, one central hole



with Luer Lock Connector

Item Code	Size	Diameter	
TC35-2645	5 cm	1.7 mm	
TC35-2646	15 cm	1.7 mm	
TC35-2647	5 cm	2.0 mm	
TC35-2648	15 cm	2.0 mm	
TC35-2649	5 cm	3.0 mm	
TC35-2650	15 cm	3.0 mm	



with Special Luer Lock Connector

Item Code	Size	Diameter	
TC35-2651	5 cm	1.7 mm	
TC35-2652	15 cm	1.7 mm	
TC35-2653	5 cm	2.0 mm	
TC35-2654	15 cm	2.0 mm	
TC35-2655	5 cm	3.0 mm	
TC35-2656	15 cm	3.0 mm	



dle	
Size	Diameter
5 cm	1.7 mm
15 cm	1.7 mm
5 cm	2.0 mm
15 cm	2.0 mm
5 cm	3.0 mm
15 cm	3.0 mm
	5 cm 15 cm 5 cm 5 cm 5 cm



with Threaded Fitting

Ifem Code	Size	Diameter
TC35-2663	5 cm	1.7 mm
TC35-2664	15 cm	1.7 mm
TC35-2665	5 cm	2.0 mm
TC35-2666	15 cm	2.0 mm
TC35-2667	5 cm	3.0 mm
TC35-2668	15 cm	3.0 mm



with Mini Threaded Fitting

Item Code	Size	Diameter	
TC35-2669	5 cm	1.7 mm	
TC35-2670	15 cm	1.7 mm	
TC35-2671	5 cm	2.0 mm	
TC35-2672	15 cm	2.0 mm	
TC35-2673	5 cm	3.0 mm	
TC35-2674	15 cm	3.0 mm	



Liposuction Cannulas, 8 Holes, Holes Dia 1.0mm



with Luer Lock Connector

Item Code	Size	Diameter
TC35-2675	10 cm	1.5 mm
TC35-2676	15 cm	1.5 mm
TC35-2677	10 cm	2.0 mm
TC35-2678	15 cm	2.0 mm



with Threaded Fitting

Ifem Code	Size	Diameter
TC35-2687	10 cm	1.5 mm
TC35-2688	15 cm	1.5 mm
TC35-2689	10 cm	2.0 mm
TC35-2690	15 cm	2.0 mm



with Special Luer Lock Connector

Item Code	Size	Diameter
TC35-2679	10 cm	1.5 mm
TC35-2680	15 cm	1.5 mm
TC35-2681	10 cm	2.0 mm
TC35-2682	15 cm	2.0 mm



with Mini Thread Item Code	Size	Diameter
TC35-2691	10 cm	1.5 mm
		1.5 mm
TC35-2692	15 cm	1.511111
TC35-2693	10 cm	2.0 mm
TC35-2694	15 cm	2.0 mm



with Super Handle

Item Code	Size	Diameter	
TC35-2683	10 cm	1.5 mm	
TC35-2684	15 cm	1.5 mm	
TC35-2685	10 cm	2.0 mm	
TC35-2686	15 cm	2.0 mm	



Entener Liposuction Cannula





with Luer Lock Connector

Item Code	Size	Diameter	Holes
TC35-2695	15 cm	2.0 mm	18
TC35-2696	20 cm	2.0 mm	18
TC35-2697	25 cm	2.0 mm	18
TC35-2698	30 cm	2.0 mm	18
TC35-2699	15 cm	2.0 mm	22
TC35-2700	20 cm	2.0 mm	22
TC35-2701	25 cm	2.0 mm	22
TC35-2702	30 cm	2.0 mm	22
TC35-2703	15 cm	2.0 mm	26
TC35-2704	20 cm	2.0 mm	26
TC35-2705	25 cm	2.0 mm	26
TC35-2706	30 cm	2.0 mm	26
TC35-2707	15 cm	2.0 mm	30
TC35-2708	20 cm	2.0 mm	30
TC35-2709	25 cm	2.0 mm	30
TC35-2710	30 cm	2.0 mm	30
TC35-2711	15 cm	2.5 mm	18
TC35-2712	20 cm	2.5 mm	18
TC35-2713	25 cm	2.5 mm	18
TC35-2714	30 cm	2.5 mm	18
TC35-2715	15 cm	2.5 mm	22
TC35-2716	20 cm	2.5 mm	22
TC35-2717	25 cm	2.5 mm	22
TC35-2718	30 cm	2.5 mm	22
TC35-2719	15 cm	2.5 mm	26
TC35-2720	20 cm	2.5 mm	26
TC35-2721	25 cm	2.5 mm	26
TC35-2722	30 cm	2.5 mm	26
TC35-2723	15 cm	2.5 mm	30
TC35-2724	20 cm	2.5 mm	30
TC35-2725	25 cm	2.5 mm	30
TC35-2726	30 cm	2.5 mm	30
1000-2720	OU CITI		100

Item Code	Size	Diameter	Holes
TC35-2727	15 cm	3.0 mm	18
TC35-2728	20 cm	3.0 mm	18
TC35-2729	25 cm	3.0 mm	18
TC35-2730	30 cm	3.0 mm	18
TC35-2731	15 cm	3.0 mm	22
TC35-2732	20 cm	3.0 mm	22
TC35-2733	25 cm	3.0 mm	22
TC35-2734	30 cm	3.0 mm	22
TC35-2735	15 cm	3.0 mm	26
TC35-2736	20 cm	3.0 mm	26
TC35-2737	25 cm	3.0 mm	26
TC35-2738	30 cm	3.0 mm	26
TC35-2739	15 cm	3.0 mm	30
TC35-2740	20 cm	3.0 mm	30
TC35-2741	25 cm	3.0 mm	30
TC35-2742	30 cm	3.0 mm	30
TC35-2743	15 cm	4.0 mm	18
TC35-2744	20 cm	4.0 mm	18
TC35-2745	25 cm	4.0 mm	18
TC35-2746	30 cm	4.0 mm	18
TC35-2747	15 cm	4.0 mm	22
TC35-2748	20 cm	4.0 mm	22
TC35-2749	25 cm	4.0 mm	22
TC35-2750	30 cm	4.0 mm	22
TC35-2751	15 cm	4.0 mm	26
TC35-2752	20 cm	4.0 mm	26
TC35-2753	25 cm	4.0 mm	26
TC35-2754	30 cm	4.0 mm	26
TC35-2755	15 cm	4.0 mm	30
TC35-2756	20 cm	4.0 mm	30
TC35-2757	25 cm	4.0 mm	30
TC35-2758	30 cm	4.0 mm	30



Entener Liposuction Cannula





with Special Luer Lock Connector

Item Code	Size	Diameter	Holes
TC35-2759	15 cm	2.0 mm	18
TC35-2760	20 cm	2.0 mm	18
TC35-2761	25 cm	2.0 mm	18
TC35-2762	30 cm	2.0 mm	18
TC35-2763	15 cm	2.0 mm	22
TC35-2764	20 cm	2.0 mm	22
TC35-2765	25 cm	2.0 mm	22
TC35-2766	30 cm	2.0 mm	22
TC35-2767	15 cm	2.0 mm	26
TC35-2768	20 cm	2.0 mm	26
TC35-2769	25 cm	2.0 mm	26
TC35-2770	30 cm	2.0 mm	26
TC35-2771	15 cm	2.0 mm	30
TC35-2772	20 cm	2.0 mm	30
TC35-2773	25 cm	2.0 mm	30
TC35-2774	30 cm	2.0 mm	30
		~ -	10
TC35-2775	15 cm	2.5 mm	18
TC35-2776	20 cm	2.5 mm	18
TC35-2777	25 cm	2.5 mm	18
TC35-2778	30 cm	2.5 mm	18
TC35-2779	15 cm	2.5 mm	22
TC35-2780	20 cm	2.5 mm	22
TC35-2781	25 cm	2.5 mm	22
TC35-2782	30 cm	2.5 mm	22
TC35-2783	15 cm	2.5 mm	26
TC35-2784	20 cm	2.5 mm	26
TC35-2785	25 cm	2.5 mm	26
TC35-2786	30 cm	2.5 mm	26
TC35-2787	15 cm	2.5 mm	30
TC35-2788	20 cm	2.5 mm	30
TC35-2789	25 cm	2.5 mm	30
TC35-2790	30 cm	2.5 mm	30

Item Code	Size	Diameter	Holes
TC35-2791	15 cm	3.0 mm	18
TC35-2792	20 cm	3.0 mm	18
TC35-2793	25 cm	3.0 mm	18
TC35-2794	30 cm	3.0 mm	18
TC35-2795	15 cm	3.0 mm	22
TC35-2796	20 cm	3.0 mm	22
TC35-2797	25 cm	3.0 mm	22
TC35-2798	30 cm	3.0 mm	22
TC35-2799	15 cm	3.0 mm	26
TC35-2800	20 cm	3.0 mm	26
TC35-2801	25 cm	3.0 mm	26
TC35-2802	30 cm	3.0 mm	26
TC35-2803	15 cm	3.0 mm	30
TC35-2804	20 cm	3.0 mm	30
TC35-2805	25 cm	3.0 mm	30
TC35-2806	30 cm	3.0 mm	30
TC35-2807	15 cm	4.0 mm	18
TC35-2808	20 cm	4.0 mm	18
TC35-2809	25 cm	4.0 mm	18
TC35-2810	30 cm	4.0 mm	18
TC35-2811	15 cm	4.0 mm	22
TC35-2812	20 cm	4.0 mm	22
TC35-2813	25 cm	4.0 mm	22
TC35-2814	30 cm	4.0 mm	22
TC35-2815	15 cm	4.0 mm	26
TC35-2816	20 cm	4.0 mm	26
TC35-2817	25 cm	4.0 mm	26
TC35-2818	30 cm	4.0 mm	26
TC35-2819	15 cm	4.0 mm	30
TC35-2820	20 cm	4.0 mm	30
TC35-2821	25 cm	4.0 mm	30
TC35-2822	30 cm	4.0 mm	30



Entener Liposuction Cannula





with Super Handle

Item Code	Size	Diameter	Holes
TC35-2823	15 cm	2.0 mm	18
TC35-2824	20 cm	2.0 mm	18
TC35-2825	25 cm	2.0 mm	18
TC35-2826	30 cm	2.0 mm	18
TC35-2827	15 cm	2.0 mm	22
TC35-2828	20 cm	2.0 mm	22
TC35-2829	25 cm	2.0 mm	22
TC35-2830	30 cm	2.0 mm	22
TC35-2831	15 cm	2.0 mm	26
TC35-2832	20 cm	2.0 mm	26
TC35-2833	25 cm	2.0 mm	26
TC35-2834	30 cm	2.0 mm	26
TC35-2835	15 cm	2.0 mm	30
TC35-2836	20 cm	2.0 mm	30
TC35-2837	25 cm	2.0 mm	30
TC35-2838	30 cm	2.0 mm	30
T 0		0.00	
TC35-2839	15 cm	2.5 mm	18
TC35-2840	20 cm	2.5 mm	18
TC35-2841	25 cm	2.5 mm	18
TC35-2842	30 cm	2.5 mm	18
TC35-2843	15 cm	2.5 mm	22
TC35-2844	20 cm	2.5 mm	22
TC35-2845	25 cm	2.5 mm	22
TC35-2846	30 cm	2.5 mm	22
TC35-2847	15 cm	2.5 mm	26
TC35-2848	20 cm	2.5 mm	26
TC35-2849	25 cm	2.5 mm	26
TC35-2850	30 cm	2.5 mm	26
TC35-2851	15 cm	2.5 mm	30
TC35-2852	20 cm	2.5 mm	30
TC35-2853	25 cm	2.5 mm	30
TC35-2854	30 cm	2.5 mm	30

TC35-2856 20 cm 2.0 mm TC35-2857 25 cm 2.0 mm TC35-2858 30 cm 2.0 mm TC35-2859 15 cm 2.0 mm TC35-2860 20 cm 2.0 mm TC35-2861 25 cm 2.0 mm TC35-2862 30 cm 2.0 mm TC35-2863 15 cm 2.0 mm TC35-2864 20 cm 2.0 mm TC35-2865 25 cm 2.0 mm TC35-2866 30 cm 2.0 mm TC35-2866 30 cm 2.0 mm TC35-2867 15 cm 2.0 mm TC35-2868 20 cm 2.0 mm TC35-2869 25 cm 2.0 mm TC35-2869 25 cm 2.0 mm TC35-2869 25 cm 2.0 mm TC35-2870 30 cm 2.0 mm	10
TC35-2857 25 cm 2.0 mm TC35-2858 30 cm 2.0 mm TC35-2859 15 cm 2.0 mm TC35-2860 20 cm 2.0 mm TC35-2861 25 cm 2.0 mm TC35-2862 30 cm 2.0 mm TC35-2863 15 cm 2.0 mm TC35-2864 20 cm 2.0 mm TC35-2865 25 cm 2.0 mm TC35-2866 30 cm 2.0 mm TC35-2867 15 cm 2.0 mm TC35-2868 20 cm 2.0 mm TC35-2869 25 cm 2.0 mm TC35-2870 30 cm 2.0 mm TC35-2871 15 cm 2.5 mm	18
TC35-2858 30 cm 2.0 mm TC35-2859 15 cm 2.0 mm TC35-2860 20 cm 2.0 mm TC35-2861 25 cm 2.0 mm TC35-2862 30 cm 2.0 mm TC35-2863 15 cm 2.0 mm TC35-2864 20 cm 2.0 mm TC35-2865 25 cm 2.0 mm TC35-2866 30 cm 2.0 mm TC35-2867 15 cm 2.0 mm TC35-2868 20 cm 2.0 mm TC35-2869 25 cm 2.0 mm TC35-2869 25 cm 2.0 mm TC35-2869 25 cm 2.0 mm TC35-2870 30 cm 2.0 mm	18
TC35-2860 20 cm 2.0 mm TC35-2861 25 cm 2.0 mm TC35-2862 30 cm 2.0 mm TC35-2863 15 cm 2.0 mm TC35-2864 20 cm 2.0 mm TC35-2865 25 cm 2.0 mm TC35-2866 30 cm 2.0 mm TC35-2867 15 cm 2.0 mm TC35-2868 20 cm 2.0 mm TC35-2869 25 cm 2.0 mm TC35-2869 25 cm 2.0 mm TC35-2870 30 cm 2.0 mm	18
TC35-2860 20 cm 2.0 mm TC35-2861 25 cm 2.0 mm TC35-2862 30 cm 2.0 mm TC35-2863 15 cm 2.0 mm TC35-2864 20 cm 2.0 mm TC35-2865 25 cm 2.0 mm TC35-2866 30 cm 2.0 mm TC35-2867 15 cm 2.0 mm TC35-2868 20 cm 2.0 mm TC35-2869 25 cm 2.0 mm TC35-2870 30 cm 2.0 mm TC35-2871 15 cm 2.5 mm	18
TC35-2861 25 cm 2.0 mm TC35-2862 30 cm 2.0 mm TC35-2863 15 cm 2.0 mm TC35-2864 20 cm 2.0 mm TC35-2865 25 cm 2.0 mm TC35-2866 30 cm 2.0 mm TC35-2867 15 cm 2.0 mm TC35-2868 20 cm 2.0 mm TC35-2869 25 cm 2.0 mm TC35-2870 30 cm 2.0 mm TC35-2871 15 cm 2.5 mm	22
TC35-2862 30 cm 2.0 mm TC35-2863 15 cm 2.0 mm TC35-2864 20 cm 2.0 mm TC35-2865 25 cm 2.0 mm TC35-2866 30 cm 2.0 mm TC35-2867 15 cm 2.0 mm TC35-2868 20 cm 2.0 mm TC35-2869 25 cm 2.0 mm TC35-2870 30 cm 2.0 mm TC35-2871 15 cm 2.5 mm	22
TC35-2863 15 cm 2.0 mm TC35-2864 20 cm 2.0 mm TC35-2865 25 cm 2.0 mm TC35-2866 30 cm 2.0 mm TC35-2867 15 cm 2.0 mm TC35-2868 20 cm 2.0 mm TC35-2869 25 cm 2.0 mm TC35-2870 30 cm 2.0 mm TC35-2871 15 cm 2.5 mm	22
TC35-2864 20 cm 2.0 mm TC35-2865 25 cm 2.0 mm TC35-2866 30 cm 2.0 mm TC35-2867 15 cm 2.0 mm TC35-2868 20 cm 2.0 mm TC35-2869 25 cm 2.0 mm TC35-2870 30 cm 2.0 mm TC35-2871 15 cm 2.5 mm	22
TC35-2865 25 cm 2.0 mm TC35-2866 30 cm 2.0 mm TC35-2867 15 cm 2.0 mm TC35-2868 20 cm 2.0 mm TC35-2869 25 cm 2.0 mm TC35-2870 30 cm 2.0 mm TC35-2871 15 cm 2.5 mm	26
TC35-2866 30 cm 2.0 mm TC35-2867 15 cm 2.0 mm TC35-2868 20 cm 2.0 mm TC35-2869 25 cm 2.0 mm TC35-2870 30 cm 2.0 mm TC35-2871 15 cm 2.5 mm	26
TC35-2867 15 cm 2.0 mm TC35-2868 20 cm 2.0 mm TC35-2869 25 cm 2.0 mm TC35-2870 30 cm 2.0 mm TC35-2871 15 cm 2.5 mm	26
TC35-2868 20 cm 2.0 mm TC35-2869 25 cm 2.0 mm TC35-2870 30 cm 2.0 mm TC35-2871 15 cm 2.5 mm	26
TC35-2869 25 cm 2.0 mm 7 TC35-2870 30 cm 2.0 mm 7 TC35-2871 15 cm 2.5 mm	30
TC35-2870 30 cm 2.0 mm 3	30
TC35-2871 15 cm 2.5 mm	30
	30
TC35-2872 20 cm 2.5 mm	18
	18
A STATE OF THE STA	18
	18
	22
2.0 111111	22
	22
	22
	26
	26
	26
210 111111	26
	30
2001	30
	30
TC35-2886 30 cm 2.5 mm	30



Entener Liposuction Cannula





with Threaded Fitting	with	Thread	ed Fi	tting
-----------------------	------	--------	-------	-------

Willi Miledace			
Item Code	Size	Diameter	Holes
TC35-2887	15 cm	2.0 mm	18_
TC35-2888	20 cm	2.0 mm	18
TC35-2889	25 cm	2.0 mm	18
TC35-2890	30 cm	2.0 mm	18
TC35-2891	15 cm	2.0 mm	22
TC35-2892	20 cm	2.0 mm	22
TC35-2893	25 cm	2.0 mm	22
TC35-2894	30 cm	2.0 mm	22
TC35-2895	15 cm	2.0 mm	26
TC35-2896	20 cm	2.0 mm	26
TC35-2897	25 cm	2.0 mm	26
TC35-2898	30 cm	2.0 mm	26
TC35-2899	15 cm	2.0 mm	30
TC35-2900	20 cm	2.0 mm	30
TC35-2901	25 cm	2.0 mm	30
TC35-2902	30 cm	2.0 mm	30
TC35-2903	15 cm	2.5 mm	18
TC35-2904	20 cm	2.5 mm	18
TC35-2905	25 cm	2.5 mm	18
TC35-2906	30 cm	2.5 mm	18
TC35-2907	15 cm	2.5 mm	22
TC35-2908	20 cm	2.5 mm	22
TC35-2909	25 cm	2.5 mm	22
TC35-2910	30 cm	2.5 mm	22
TC35-2911	15 cm	2.5 mm	26
TC35-2912	20 cm	2.5 mm	26
TC35-2913	25 cm	2.5 mm	26
TC35-2914	30 cm	2.5 mm	26
TC35-2915	15 cm	2.5 mm	30
TC35-2916	20 cm	2.5 mm	30
TC35-2917	25 cm	2.5 mm	30
TC35-2918	30 cm	2.5 mm	30

Item Code	Size	Diameter	Holes
TC35-2919	15 cm	2.0 mm	18
TC35-2920	20 cm	2.0 mm	18
TC35-2921	25 cm	2.0 mm	18
TC35-2922	30 cm	2.0 mm	18
TC35-2923	15 cm	2.0 mm	22
TC35-2924	20 cm	2.0 mm	22
TC35-2925	25 cm	2.0 mm	22
TC35-2926	30 cm	2.0 mm	22
TC35-2927	15 cm	2.0 mm	26
TC35-2928	20 cm	2.0 mm	26
TC35-2929	25 cm	2.0 mm	26
TC35-2930	30 cm	2.0 mm	26
TC35-2931	15 cm	2.0 mm	30
TC35-2932	20 cm	2.0 mm	30
TC35-2933	25 cm	2.0 mm	30
TC35-2934	30 cm	2.0 mm	30
TC35-2935	15 cm	2.5 mm	18
TC35-2936	20 cm	2.5 mm	18
TC35-2937	25 cm	2.5 mm	18
TC35-2938	30 cm	2.5 mm	18
TC35-2939	15 cm	2.5 mm	22
TC35-2940	20 cm	2.5 mm	22
TC35-2941	25 cm	2.5 mm	22
TC35-2942	30 cm	2.5 mm	22
TC35-2943	15 cm	2.5 mm	26
TC35-2944	20 cm	2.5 mm	26
TC35-2945	25 cm	2.5 mm	26
TC35-2946	30 cm	2.5 mm	26
TC35-2947	15 cm	2.5 mm	30
TC35-2948	20 cm	2.5 mm	30
TC35-2949	25 cm	2.5 mm	30
TC35-2950	30 cm	2.5 mm	30



Entener Liposuction Cannula





with Mini Threaded Fitting

TG35-2951 15 cm 2.0 mm 18 TG35-2952 20 cm 2.0 mm 18 TG35-2953 25 cm 2.0 mm 18 TG35-2954 30 cm 2.0 mm 18 TG35-2955 15 cm 2.0 mm 22 TG35-2956 20 cm 2.0 mm 22 TG35-2957 25 cm 2.0 mm 22 TG35-2958 30 cm 2.0 mm 22 TG35-2958 30 cm 2.0 mm 26 TG35-2959 15 cm 2.0 mm 26 TG35-2960 20 cm 2.0 mm 26 TG35-2961 25 cm 2.0 mm 26 TG35-2962 30 cm 2.0 mm 30 TG35-2963 15 cm 2.0 mm 30 TG35-2964 20 cm 2.0 mm 30 TG35-2965 25 cm 2.5 mm 18 TG35-2967 15 cm 2.5 mm 18 TG35-2968 20 cm 2.5 mm 18	Item Code	Size	Diameter	Holes
TC35-2953 25 cm 2.0 mm 18 TC35-2954 30 cm 2.0 mm 18 TC35-2955 15 cm 2.0 mm 22 TC35-2956 20 cm 2.0 mm 22 TC35-2957 25 cm 2.0 mm 22 TC35-2958 30 cm 2.0 mm 22 TC35-2959 15 cm 2.0 mm 26 TC35-2960 20 cm 2.0 mm 26 TC35-2961 25 cm 2.0 mm 26 TC35-2962 30 cm 2.0 mm 26 TC35-2963 15 cm 2.0 mm 30 TC35-2964 20 cm 2.0 mm 30 TC35-2965 25 cm 2.0 mm 30 TC35-2966 30 cm 2.5 mm 18 TC35-2967 15 cm 2.5 mm 18 TC35-2968 20 cm 2.5 mm 18 TC35-2970 30 cm 2.5 mm 18 TC35-2971 15 cm 2.5 mm 22	TC35-2951	15 cm	2.0 mm	18
TC35-2954 30 cm 2.0 mm 18 TC35-2955 15 cm 2.0 mm 22 TC35-2956 20 cm 2.0 mm 22 TC35-2957 25 cm 2.0 mm 22 TC35-2958 30 cm 2.0 mm 26 TC35-2959 15 cm 2.0 mm 26 TC35-2960 20 cm 2.0 mm 26 TC35-2961 25 cm 2.0 mm 26 TC35-2962 30 cm 2.0 mm 26 TC35-2963 15 cm 2.0 mm 30 TC35-2964 20 cm 2.0 mm 30 TC35-2965 25 cm 2.0 mm 30 TC35-2966 30 cm 2.5 mm 18 TC35-2967 15 cm 2.5 mm 18 TC35-2968 20 cm 2.5 mm 18 TC35-2970 30 cm 2.5 mm 18 TC35-2971 15 cm 2.5 mm 22 TC35-2972 20 cm 2.5 mm 22	TC35-2952	20 cm	2.0 mm	18
TC35-2956 20 cm 2.0 mm 22 TC35-2957 25 cm 2.0 mm 22 TC35-2958 30 cm 2.0 mm 22 TC35-2959 15 cm 2.0 mm 26 TC35-2960 20 cm 2.0 mm 26 TC35-2961 25 cm 2.0 mm 26 TC35-2962 30 cm 2.0 mm 26 TC35-2963 15 cm 2.0 mm 30 TC35-2964 20 cm 2.0 mm 30 TC35-2965 25 cm 2.0 mm 30 TC35-2966 30 cm 2.5 mm 18 TC35-2967 15 cm 2.5 mm 18 TC35-2968 20 cm 2.5 mm 18 TC35-2970 30 cm 2.5 mm 18 TC35-2971 15 cm 2.5 mm 22 TC35-2972 20 cm 2.5 mm 22 TC35-2973 25 cm 2.5 mm 26 TC35-2974 30 cm 2.5 mm 26	TC35-2953	25 cm	2.0 mm	18
TC35-2956 20 cm 2.0 mm 22 TC35-2957 25 cm 2.0 mm 22 TC35-2958 30 cm 2.0 mm 26 TC35-2969 15 cm 2.0 mm 26 TC35-2961 25 cm 2.0 mm 26 TC35-2962 30 cm 2.0 mm 26 TC35-2963 15 cm 2.0 mm 30 TC35-2964 20 cm 2.0 mm 30 TC35-2965 25 cm 2.0 mm 30 TC35-2966 30 cm 2.5 mm 18 TC35-2967 15 cm 2.5 mm 18 TC35-2968 20 cm 2.5 mm 18 TC35-2970 30 cm 2.5 mm 18 TC35-2971 15 cm 2.5 mm 22 TC35-2972 20 cm 2.5 mm 22 TC35-2973 25 cm 2.5 mm 26 TC35-2974 30 cm 2.5 mm 26 TC35-2977 25 cm 2.5 mm 26	TC35-2954	30 cm	2.0 mm	
TC35-2957 25 cm 2.0 mm 22 TC35-2958 30 cm 2.0 mm 26 TC35-2960 20 cm 2.0 mm 26 TC35-2961 25 cm 2.0 mm 26 TC35-2962 30 cm 2.0 mm 26 TC35-2963 15 cm 2.0 mm 30 TC35-2964 20 cm 2.0 mm 30 TC35-2965 25 cm 2.0 mm 30 TC35-2966 30 cm 2.5 mm 30 TC35-2968 20 cm 2.5 mm 18 TC35-2969 25 cm 2.5 mm 18 TC35-2970 30 cm 2.5 mm 18 TC35-2971 15 cm 2.5 mm 22 TC35-2972 20 cm 2.5 mm 22 TC35-2973 25 cm 2.5 mm 22 TC35-2974 30 cm 2.5 mm 26 TC35-2975 15 cm 2.5 mm 26 TC35-2976 20 cm 2.5 mm 26	TC35-2955	15 cm	2.0 mm	22
TC35-2958 30 cm 2.0 mm 26 TC35-2960 20 cm 2.0 mm 26 TC35-2961 25 cm 2.0 mm 26 TC35-2962 30 cm 2.0 mm 26 TC35-2963 15 cm 2.0 mm 30 TC35-2964 20 cm 2.0 mm 30 TC35-2965 25 cm 2.0 mm 30 TC35-2966 30 cm 2.5 mm 18 TC35-2967 15 cm 2.5 mm 18 TC35-2968 20 cm 2.5 mm 18 TC35-2969 25 cm 2.5 mm 18 TC35-2970 30 cm 2.5 mm 18 TC35-2971 15 cm 2.5 mm 22 TC35-2972 20 cm 2.5 mm 22 TC35-2973 25 cm 2.5 mm 22 TC35-2974 30 cm 2.5 mm 26 TC35-2975 15 cm 2.5 mm 26 TC35-2976 20 cm 2.5 mm 26	TC35-2956	20 cm	2.0 mm	
TC35-2959 15 cm 2.0 mm 26 TC35-2960 20 cm 2.0 mm 26 TC35-2961 25 cm 2.0 mm 26 TC35-2962 30 cm 2.0 mm 30 TC35-2963 15 cm 2.0 mm 30 TC35-2964 20 cm 2.0 mm 30 TC35-2965 25 cm 2.0 mm 30 TC35-2966 30 cm 2.5 mm 18 TC35-2967 15 cm 2.5 mm 18 TC35-2968 20 cm 2.5 mm 18 TC35-2969 25 cm 2.5 mm 18 TC35-2970 30 cm 2.5 mm 18 TC35-2971 15 cm 2.5 mm 22 TC35-2972 20 cm 2.5 mm 22 TC35-2973 25 cm 2.5 mm 26 TC35-2974 30 cm 2.5 mm 26 TC35-2975 15 cm 2.5 mm 26 TC35-2977 25 cm 2.5 mm 26		25 cm	2.0 mm	
TC35-2960 20 cm 2.0 mm 26 TC35-2961 25 cm 2.0 mm 26 TC35-2962 30 cm 2.0 mm 30 TC35-2963 15 cm 2.0 mm 30 TC35-2964 20 cm 2.0 mm 30 TC35-2965 25 cm 2.0 mm 30 TC35-2966 30 cm 2.5 mm 18 TC35-2968 20 cm 2.5 mm 18 TC35-2969 25 cm 2.5 mm 18 TC35-2970 30 cm 2.5 mm 18 TC35-2971 15 cm 2.5 mm 22 TC35-2972 20 cm 2.5 mm 22 TC35-2973 25 cm 2.5 mm 22 TC35-2974 30 cm 2.5 mm 26 TC35-2975 15 cm 2.5 mm 26 TC35-2976 20 cm 2.5 mm 26 TC35-2977 25 cm 2.5 mm 26 TC35-2978 30 cm 2.5 mm 30	TC35-2958	30 cm	2.0 mm	
TC35-2961 25 cm 2.0 mm 26 TC35-2962 30 cm 2.0 mm 26 TC35-2963 15 cm 2.0 mm 30 TC35-2964 20 cm 2.0 mm 30 TC35-2965 25 cm 2.0 mm 30 TC35-2966 30 cm 2.0 mm 30 TC35-2968 20 cm 2.5 mm 18 TC35-2969 25 cm 2.5 mm 18 TC35-2970 30 cm 2.5 mm 18 TC35-2971 15 cm 2.5 mm 22 TC35-2972 20 cm 2.5 mm 22 TC35-2973 25 cm 2.5 mm 22 TC35-2974 30 cm 2.5 mm 26 TC35-2975 15 cm 2.5 mm 26 TC35-2976 20 cm 2.5 mm 26 TC35-2977 25 cm 2.5 mm 26 TC35-2978 30 cm 2.5 mm 30 TC35-2980 20 cm 2.5 mm 30	TC35-2959	15 cm	2.0 mm	
TC35-2962 30 cm 2.0 mm 26 TC35-2963 15 cm 2.0 mm 30 TC35-2964 20 cm 2.0 mm 30 TC35-2965 25 cm 2.0 mm 30 TC35-2966 30 cm 2.5 mm 18 TC35-2968 20 cm 2.5 mm 18 TC35-2969 25 cm 2.5 mm 18 TC35-2970 30 cm 2.5 mm 18 TC35-2971 15 cm 2.5 mm 22 TC35-2972 20 cm 2.5 mm 22 TC35-2973 25 cm 2.5 mm 22 TC35-2974 30 cm 2.5 mm 26 TC35-2975 15 cm 2.5 mm 26 TC35-2976 20 cm 2.5 mm 26 TC35-2977 25 cm 2.5 mm 26 TC35-2978 30 cm 2.5 mm 30 TC35-2978 20 cm 2.5 mm 30 TC35-2980 20 cm 2.5 mm 30		20 cm		
TC35-2963 15 cm 2.0 mm 30 TC35-2964 20 cm 2.0 mm 30 TC35-2965 25 cm 2.0 mm 30 TC35-2966 30 cm 2.0 mm 30 TC35-2967 15 cm 2.5 mm 18 TC35-2968 20 cm 2.5 mm 18 TC35-2969 25 cm 2.5 mm 18 TC35-2970 30 cm 2.5 mm 18 TC35-2971 15 cm 2.5 mm 22 TC35-2972 20 cm 2.5 mm 22 TC35-2973 25 cm 2.5 mm 22 TC35-2974 30 cm 2.5 mm 26 TC35-2975 15 cm 2.5 mm 26 TC35-2976 20 cm 2.5 mm 26 TC35-2977 25 cm 2.5 mm 26 TC35-2978 30 cm 2.5 mm 26 TC35-2979 15 cm 2.5 mm 30 TC35-2980 20 cm 2.5 mm 30	TC35-2961	25 cm		
TC35-2964 20 cm 2.0 mm 30 TC35-2965 25 cm 2.0 mm 30 TC35-2966 30 cm 2.5 mm 18 TC35-2968 20 cm 2.5 mm 18 TC35-2969 25 cm 2.5 mm 18 TC35-2970 30 cm 2.5 mm 18 TC35-2971 15 cm 2.5 mm 22 TC35-2972 20 cm 2.5 mm 22 TC35-2973 25 cm 2.5 mm 22 TC35-2974 30 cm 2.5 mm 22 TC35-2975 15 cm 2.5 mm 26 TC35-2976 20 cm 2.5 mm 26 TC35-2977 25 cm 2.5 mm 26 TC35-2978 30 cm 2.5 mm 26 TC35-2979 15 cm 2.5 mm 30 TC35-2980 20 cm 2.5 mm 30 TC35-2981 25 cm 2.5 mm 30		30 cm		
TC35-2965 25 cm 2.0 mm 30 TC35-2966 30 cm 2.0 mm 30 TC35-2967 15 cm 2.5 mm 18 TC35-2968 20 cm 2.5 mm 18 TC35-2969 25 cm 2.5 mm 18 TC35-2970 30 cm 2.5 mm 18 TC35-2971 15 cm 2.5 mm 22 TC35-2972 20 cm 2.5 mm 22 TC35-2973 25 cm 2.5 mm 22 TC35-2974 30 cm 2.5 mm 26 TC35-2975 15 cm 2.5 mm 26 TC35-2976 20 cm 2.5 mm 26 TC35-2977 25 cm 2.5 mm 26 TC35-2978 30 cm 2.5 mm 30 TC35-2979 15 cm 2.5 mm 30 TC35-2980 20 cm 2.5 mm 30 TC35-2981 25 cm 2.5 mm 30	TC35-2963	15 cm	2.0 mm	
TC35-2966 30 cm 2.0 mm 30 TC35-2967 15 cm 2.5 mm 18 TC35-2968 20 cm 2.5 mm 18 TC35-2969 25 cm 2.5 mm 18 TC35-2970 30 cm 2.5 mm 18 TC35-2971 15 cm 2.5 mm 22 TC35-2972 20 cm 2.5 mm 22 TC35-2973 25 cm 2.5 mm 22 TC35-2974 30 cm 2.5 mm 22 TC35-2975 15 cm 2.5 mm 26 TC35-2976 20 cm 2.5 mm 26 TC35-2977 25 cm 2.5 mm 26 TC35-2978 30 cm 2.5 mm 26 TC35-2979 15 cm 2.5 mm 30 TC35-2980 20 cm 2.5 mm 30 TC35-2981 25 cm 2.5 mm 30	TC35-2964	20 cm		
TC35-2967 15 cm 2.5 mm 18 TC35-2968 20 cm 2.5 mm 18 TC35-2969 25 cm 2.5 mm 18 TC35-2970 30 cm 2.5 mm 18 TC35-2971 15 cm 2.5 mm 22 TC35-2972 20 cm 2.5 mm 22 TC35-2973 25 cm 2.5 mm 22 TC35-2974 30 cm 2.5 mm 22 TC35-2975 15 cm 2.5 mm 26 TC35-2976 20 cm 2.5 mm 26 TC35-2977 25 cm 2.5 mm 26 TC35-2978 30 cm 2.5 mm 30 TC35-2979 15 cm 2.5 mm 30 TC35-2980 20 cm 2.5 mm 30 TC35-2981 25 cm 2.5 mm 30	TC35-2965	25 cm	2.0 mm	
TC35-2968 20 cm 2.5 mm 18 TC35-2969 25 cm 2.5 mm 18 TC35-2970 30 cm 2.5 mm 18 TC35-2971 15 cm 2.5 mm 22 TC35-2972 20 cm 2.5 mm 22 TC35-2973 25 cm 2.5 mm 22 TC35-2974 30 cm 2.5 mm 26 TC35-2975 15 cm 2.5 mm 26 TC35-2976 20 cm 2.5 mm 26 TC35-2977 25 cm 2.5 mm 26 TC35-2978 30 cm 2.5 mm 30 TC35-2979 15 cm 2.5 mm 30 TC35-2980 20 cm 2.5 mm 30 TC35-2981 25 cm 2.5 mm 30	TC35-2966	30 cm	2.0 mm	30
TC35-2968 20 cm 2.5 mm 18 TC35-2969 25 cm 2.5 mm 18 TC35-2970 30 cm 2.5 mm 18 TC35-2971 15 cm 2.5 mm 22 TC35-2972 20 cm 2.5 mm 22 TC35-2973 25 cm 2.5 mm 22 TC35-2974 30 cm 2.5 mm 26 TC35-2975 15 cm 2.5 mm 26 TC35-2976 20 cm 2.5 mm 26 TC35-2977 25 cm 2.5 mm 26 TC35-2978 30 cm 2.5 mm 30 TC35-2979 15 cm 2.5 mm 30 TC35-2980 20 cm 2.5 mm 30 TC35-2981 25 cm 2.5 mm 30				
TC35-2969 25 cm 2.5 mm 18 TC35-2970 30 cm 2.5 mm 18 TC35-2971 15 cm 2.5 mm 22 TC35-2972 20 cm 2.5 mm 22 TC35-2973 25 cm 2.5 mm 22 TC35-2974 30 cm 2.5 mm 26 TC35-2975 15 cm 2.5 mm 26 TC35-2976 20 cm 2.5 mm 26 TC35-2977 25 cm 2.5 mm 26 TC35-2978 30 cm 2.5 mm 30 TC35-2979 15 cm 2.5 mm 30 TC35-2980 20 cm 2.5 mm 30 TC35-2981 25 cm 2.5 mm 30				
TC35-2970 30 cm 2.5 mm 18 TC35-2971 15 cm 2.5 mm 22 TC35-2972 20 cm 2.5 mm 22 TC35-2973 25 cm 2.5 mm 22 TC35-2974 30 cm 2.5 mm 22 TC35-2975 15 cm 2.5 mm 26 TC35-2976 20 cm 2.5 mm 26 TC35-2977 25 cm 2.5 mm 26 TC35-2978 30 cm 2.5 mm 26 TC35-2979 15 cm 2.5 mm 30 TC35-2980 20 cm 2.5 mm 30 TC35-2981 25 cm 2.5 mm 30	Control of the Contro			
TC35-2971 15 cm 2.5 mm 22 TC35-2972 20 cm 2.5 mm 22 TC35-2973 25 cm 2.5 mm 22 TC35-2974 30 cm 2.5 mm 22 TC35-2975 15 cm 2.5 mm 26 TC35-2976 20 cm 2.5 mm 26 TC35-2977 25 cm 2.5 mm 26 TC35-2978 30 cm 2.5 mm 26 TC35-2979 15 cm 2.5 mm 30 TC35-2980 20 cm 2.5 mm 30 TC35-2981 25 cm 2.5 mm 30				
TC35-2972 20 cm 2.5 mm 22 TC35-2973 25 cm 2.5 mm 22 TC35-2974 30 cm 2.5 mm 22 TC35-2975 15 cm 2.5 mm 26 TC35-2976 20 cm 2.5 mm 26 TC35-2977 25 cm 2.5 mm 26 TC35-2978 30 cm 2.5 mm 26 TC35-2979 15 cm 2.5 mm 30 TC35-2980 20 cm 2.5 mm 30 TC35-2981 25 cm 2.5 mm 30				
TC35-2973 25 cm 2.5 mm 22 TC35-2974 30 cm 2.5 mm 22 TC35-2975 15 cm 2.5 mm 26 TC35-2976 20 cm 2.5 mm 26 TC35-2977 25 cm 2.5 mm 26 TC35-2978 30 cm 2.5 mm 26 TC35-2979 15 cm 2.5 mm 30 TC35-2980 20 cm 2.5 mm 30 TC35-2981 25 cm 2.5 mm 30 TC35-2981 25 cm 2.5 mm 30	THE RESERVE AND ADDRESS OF THE PARTY OF THE			
TC35-2974 30 cm 2.5 mm 22 TC35-2975 15 cm 2.5 mm 26 TC35-2976 20 cm 2.5 mm 26 TC35-2977 25 cm 2.5 mm 26 TC35-2978 30 cm 2.5 mm 26 TC35-2979 15 cm 2.5 mm 30 TC35-2980 20 cm 2.5 mm 30 TC35-2981 25 cm 2.5 mm 30			A CONTRACT OF THE PARTY OF THE	
TC35-2975 15 cm 2.5 mm 26 TC35-2976 20 cm 2.5 mm 26 TC35-2977 25 cm 2.5 mm 26 TC35-2978 30 cm 2.5 mm 26 TC35-2979 15 cm 2.5 mm 30 TC35-2980 20 cm 2.5 mm 30 TC35-2981 25 cm 2.5 mm 30			1.4.2.2	
TC35-2976 20 cm 2.5 mm 26 TC35-2977 25 cm 2.5 mm 26 TC35-2978 30 cm 2.5 mm 26 TC35-2979 15 cm 2.5 mm 30 TC35-2980 20 cm 2.5 mm 30 TC35-2981 25 cm 2.5 mm 30				
TC35-2977 25 cm 2.5 mm 26 TC35-2978 30 cm 2.5 mm 26 TC35-2979 15 cm 2.5 mm 30 TC35-2980 20 cm 2.5 mm 30 TC35-2981 25 cm 2.5 mm 30				
TC35-2978 30 cm 2.5 mm 26 TC35-2979 15 cm 2.5 mm 30 TC35-2980 20 cm 2.5 mm 30 TC35-2981 25 cm 2.5 mm 30				
TC35-2979 15 cm 2.5 mm 30 TC35-2980 20 cm 2.5 mm 30 TC35-2981 25 cm 2.5 mm 30				
TC35-2980 20 cm 2.5 mm 30 TC35-2981 25 cm 2.5 mm 30	TC35-2978	**************************************	- Contraction	
TC35-2981 25 cm 2.5 mm 30	TC35-2979			
0.5	TC35-2980			
TC35-2982 30 cm 2.5 mm 30	TC35-2981			
	TC35-2982	30 cm	2.5 mm	30

Item Code	Size	Diameter	Holes
TC35-2983	15 cm	2.0 mm	18
TC35-2984	20 cm	2.0 mm	18
TC35-2985	25 cm	2.0 mm	18
TC35-2986	30 cm	2.0 mm	18
TC35-2987	15 cm	2.0 mm	22
TC35-2988	20 cm	2.0 mm	22
TC35-2989	25 cm	2.0 mm	22
TC35-2990	30 cm	2.0 mm	22
TC35-2991	15 cm	2.0 mm	26
TC35-2992	20 cm	2.0 mm	26
TC35-2993	25 cm	2.0 mm	26
TC35-2994	30 cm	2.0 mm	26
TC35-2995	15 cm	2.0 mm	30
TC35-2996	20 cm	2.0 mm	30
TC35-2997	25 cm	2.0 mm	30
TC35-2998	30 cm	2.0 mm	30
TC35-2999	15 cm	2.5 mm	18
TC35-3000	20 cm	2.5 mm	18
TC35-3001	25 cm	2.5 mm	18
TC35-3002	30 cm	2.5 mm	18
TC35-3003	15 cm	2.5 mm	22
TC35-3004	20 cm	2.5 mm	22
TC35-3005	25 cm	2.5 mm	22
TC35-3006	30 cm	2.5 mm	22
TC35-3007	15 cm	2.5 mm	26
TC35-3008	20 cm	2.5 mm	26
TC35-3009	25 cm	2.5 mm	26
TC35-3010	30 cm	2.5 mm	26
TC35-3011	15 cm	2.5 mm	30
TC35-3012	20 cm	2.5 mm	30
TC35-3013	25 cm	2.5 mm	30
TC35-3014	30 cm	2.5 mm	30



Entener Liposuction Cannula (Bayonet Shape)





with Luer Lock Connector

Item Code	Size	Diameter	Holes
TC35-3015	20 cm	3.0 mm	22
TC35-3016	30 cm	3.0 mm	22
TC35-3017	20 cm	3.0 mm	30
TC35-3018	30 cm	3.0 mm	30
TC35-3019	20 cm	4.0 mm	22
TC35-3020	30 cm	4.0 mm	22
TC35-3021	20 cm	4.0 mm	30
TC35-3022	30 cm	4.0 mm	30



with Special Luer Lock Connector

Item Code	Size	Diameter	Holes
TC35-3023	20 cm	3.0 mm	22
TC35-3024	30 cm	3.0 mm	22
TC35-3025	20 cm	3.0 mm	30
TC35-3026	30 cm	3.0 mm	30
TC35-3027	20 cm	4.0 mm	22
TC35-3028	30 cm	4.0 mm	22
TC35-3029	20 cm	4.0 mm	30
TC35-3030	30 cm	4.0 mm	30



with Super Handle

Item Code	Size	Diameter	Holes
TC35-3031	20 cm	3.0 mm	22
TC35-3032	30 cm	3.0 mm	22
TC35-3033	20 cm	3.0 mm	30
TC35-3034	30 cm	3.0 mm	30
TC35-3035	20 cm	4.0 mm	22
TC35-3036	30 cm	4.0 mm	22
TC35-3037	20 cm	4.0 mm	30
TC35-3038	30 cm	4.0 mm	30




with Threaded Fitting

Item Code	Size	Diameter	Holes
TC35-3039	20 cm	3.0 mm	22
TC35-3040	30 cm	3.0 mm	22
TC35-3041	20 cm	3.0 mm	30
TC35-3042	30 cm	3.0 mm	30
TC35-3043	20 cm	4.0 mm	22
TC35-3044	30 cm	4.0 mm	22
TC35-3045	20 cm	4.0 mm	30
TC35-3046	30 cm	4.0 mm	30



Entener Liposuction Cannula (Bayonet Shape)



Item Code	Size	Diameter	Holes
TC35-3047	20 cm	3.0 mm	22
TC35-3048	30 cm	3.0 mm	22
TC35-3049	20 cm	3.0 mm	30
TC35-3050	30 cm	3.0 mm	30
TC35-3051	20 cm	4.0 mm	22
TC35-3052	30 cm	4.0 mm	22
TC35-3053	20 cm	4.0 mm	30
TC35-3054	30.cm	4.0 mm	30





Infiltration & Liposuction Cannulas, Ø 1.5mm each





with Luer Lock Connector

Item Code	Size	Diameter	Holes
TC35-3055	20 cm	3.0 mm	22



with Threaded Fitting

Item Code	Size	Diameter	Holes
TC35-3058	20 cm	3.0 mm	22



with Special Luer Lock Connector

Item Code	Size	Diameter	Holes
TC35-3056	20 cm	3.0 mm	22



with Mini Threaded Fitting

Item Code	Size	Diameter	Holes
TC35-3059	20 cm	3.0 mm	22



with Super Handle

Item Code	Size	Diameter	Holes
TC35-3057	20 cm	3.0 mm	22



Infiltration & Liposuction Cannulas, Ø 1.0mm





Item Code	Size	Diameter	Holes
TC35-3060	25 cm	2.0 mm	10
TC35-3061	25 cm	3.0 mm	10



with Special Luer Lock Connector

Item Code	Size	Diameter	Holes
TC35-3062	25 cm	2.0 mm	10
TC35-3063	25 cm	3.0 mm	10



with Threaded Fitting

Item Code	Size	Diameter	Holes
TC35-3066	25 cm	2.0 mm	10
TC35-3067	25 cm	3.0 mm	10



with Mini Threaded Fitting

Item Code	Size	Diameter	Holes
TC35-3068	25 cm	2.0 mm	10
TC35-3069	25 cm	3.0 mm	10



with Super Handle

Item Code	Size	Diameter	Holes	-	-	
TC35-3064	25 cm	2.0 mm	10		\	1
TC35-3065	25 cm	3.0 mm	10	()		
					- 1	-11
						"
			- 1			
					1-	
			140			



Basket Liposuction Cannulas





with Luer Lock Connector

Item Code	Size	Diameter
TC35-3070	20 cm	3.0 mm
TC35-3071	25 cm	3.0 mm
TC35-3072	30 cm	3.0 mm
TC35-3073	35 cm	3.0 mm
TC35-3074	20 cm	4.0 mm
TC35-3075	25 cm	4.0 mm
TC35-3076	30 cm	4.0 mm
TC35-3077	35 cm	4.0 mm



with Super Handle

Item Code	Size	Diameter
TC35-3086	20 cm	3.0 mm
TC35-3087	25 cm	3.0 mm
TC35-3088	30 cm	3.0 mm
TC35-3089	35 cm	3.0 mm
TC35-3090	20 cm	4.0 mm
TC35-3091	25 cm	4.0 mm
TC35-3092	30 cm	4.0 mm
TC35-3093	35 cm	4.0 mm
TC35-3094	20 cm	5.0 mm
TC35-3095	25 cm	5.0 mm
TC35-3096	30 cm	5.0 mm
TC35-3097	35 cm	5.0 mm



with Special Luer Lock Connector

Item Code	Size	Diameter
TC35-3078	20 cm	3.0 mm
TC35-3079	25 cm	3.0 mm
TC35-3080	30 cm	3.0 mm
TC35-3081	35 cm	3.0 mm
TC35-3082	20 cm	4.0 mm
TC35-3083	25 cm	4.0 mm
TC35-3084	30 cm	4.0 mm
TC35-3085	35 cm	4.0 mm



with Threaded Fitting

irem Code	Size	Diameter
TC35-3098	20 cm	3.0 mm
TC35-3099	25 cm	3.0 mm
TC35-3100	30 cm	3.0 mm
TC35-3101	35 cm	3.0 mm
	1 101	
TC35-3102	20 cm	4.0 mm
TC35-3103	25 cm	4.0 mm
TC35-3104	30 cm	4.0 mm
TC35-3105	35 cm	4.0 mm
TC35-3106	20 cm	5.0 mm
TC35-3107	25 cm	5.0 mm
TC35-3108	30 cm	5.0 mm
TC35-3109	35 cm	5.0 mm



Basket Liposuction Cannulas



with Mini Threaded Fitting

with Mini Thread	ded Fitting	1
Item Code	Size	Diameter
TC35-3110	20 cm	3.0 mm
TC35-3111	25 cm	3.0 mm
TC35-3112	30 cm	3.0 mm
TC35-3113	35 cm	3.0 mm
TC35-3114	20 cm	4.0 mm
TC35-3115	25 cm	4.0 mm
TC35-3116	30 cm	4.0 mm
TC35-3117	35 cm	4.0 mm
TC35-3118	20 cm	5.0 mm
TC35-3119	25 cm	5.0 mm
TC35-3120	30 cm	5.0 mm
TC35-3121	35 cm	5.0 mm

MEDICI



Spatula Cannulas



with Luer Lock Connector

Item Code	Size	Diameter
TC35-3122	20 cm	3.0 mm
TC35-3123	25 cm	3.0 mm
TC35-3124	30 cm	3.0 mm
TC35-3125	20 cm	4.0 mm
TC35-3126	25 cm	4.0 mm
TC35-3127	30 cm	4.0 mm



with Special Luer Lock Connector

Item Code	Size	Diameter
TC35-3128	20 cm	3.0 mm
TC35-3129	25 cm	3.0 mm
TC35-3130	30 cm	3.0 mm
TC35-3131	20 cm	4.0 mm
TC35-3132	25 cm	4.0 mm
TC35-3133	30 cm	4.0 mm



with Super Handle

Size	Diameter
20 cm	3.0 mm
25 cm	3.0 mm
30 cm	3.0 mm
20 cm	4.0 mm
25 cm	4.0 mm
30 cm	4.0 mm
	20 cm 25 cm 30 cm 20 cm 25 cm



with Threaded Fitting

Willi Illicaded	9	
Item Code	Size	Diameter
TC35-3140	20 cm	3.0 mm
TC35-3141	25 cm	3.0 mm
TC35-3142	30 cm	3.0 mm
TC35-3143	20 cm	4.0 mm
TC35-3144	25 cm	4.0 mm
TC35-3145	30 cm	4.0 mm



with Mini Threaded Fitting

Item Code	Size	Diameter
TC35-3146	20 cm	3.0 mm
TC35-3147	25 cm	3.0 mm
TC35-3148	30 cm	3.0 mm
TC35-3149	20 cm	4.0 mm
TC35-3150	25 cm	4.0 mm
TC35-3151	30 cm	4.0 mm



Liposuction Cannulas Accessories



Item Code	Description
TC35-3152	Liposuction Cannula Handle (Stainless Steel)
TC35-3153	Liposuction Cannula Handle (Aluminium)



Item Code	Description
TC35-3154	Liposuction Cannula Handle with Interrupting Hole
	(Stainless Steel)
TC35-3155	Liposuction Cannula Handle with Interrupting Hole
	(Aluminium)



Item Code	Description
TC35-3156	Interchange Adapter, 5 cm (Stainless Steel)
TC35-3157	Interchange Adapter, 5 cm (Aluminium)



Item Code	Description	10
TC35-3158	Syringe Holding Device (Aluminium)	B



Item Code	Description	
TC35-3159	Leur Lock Tranfer Adapter	



Liposuction Cannulas Accessories



Item Code Description
TC35-3160 Locks Set (10 Pieces) for Luer Lock Syringes, Aluminium



Item Code Description
TC35-3161 Fat Injection Gun fit on 10cc and 20cc Syringes




Item Code	Description
TC35-3162	Aluminum Stop Lock for 10cc Syringe
TC35-3163	Aluminum Stop Lock for 20cc Syringe
TC35-3164	Aluminum Stop Lock for 50cc Syringe
TC35-3165	Aluminum Stop Lock for 60cc Syringe



Liposuction Cannulas Accessories



Item Code	Description
TC35-3166	Aspirator Luer Lock Handle
TC35-3167	Aspirator Double ended Luer Lock Handle










Item Code	Description
TC35-3172	Liposuction Cannula Set for Abdomen and Saddlebag With Threaded Fitting
Consisting of	Liposuction Cannula with threaded connector, 22-Holes, diameter 3.0 mm,
	working length 20cm
	Liposuction Cannula with threaded connector, 22-Holes, diameter 4.0 mm,
	working length 20cm
	Liposuction Cannula with threaded connector, 30-Holes, diameter 3.0 mm,
	working length 30cm
	Liposuction Cannula with threaded connector, 30-Holes, diameter 4.0 mm,
	working length 30cm
	Liposuction Cannula Handle
	Liposuction Cannula Handle with Interrupting Hole





Item Code	Description
TC35-3173	Liposuction Cannula Set for Face with Luer Lock Fitting
Consisting of	Liposuction Cannula, with one central hole, diameter 1.7 mm,
Consisting of	working length 5 cm
	Liposuction Cannula, with one central hole, diameter 1.7 mm,
	working length 15 cm
	Liposuction Cannula, 18-Holes, diameter 2.0 mm, working length 15 cm





Item Code	Description
TC35-3174	Liposuction Cannula Set for Face with Threaded Fitting
Consisting of	Liposuction Cannula, with one central hole, diameter 1.7 mm,
	working length 5 cm
	Liposuction Cannula, with one central hole, diameter 1.7 mm,
	working length 15 cm
	Liposuction Cannula, 18-Holes, diameter 2.0 mm, working length 15 cm
	Liposuction Cannula Handle
	Liposuction Cannula Handle with Interrupting Hole






Description
Liposuction Cannula Set for Neck
Liposuction Cannula with Luer-Lock, with one central hole, diameter 2.0 mm,
working length 5cm
Liposuction Cannula with Luer-Lock, with one central hole, diameter 3.0 mm,
working length 5cm
Liposuction Cannula with Luer-Lock, with one central hole, diameter 2.0 mm,
working length 15cm
Liposuction Cannula with Luer-Lock, with one central hole, diameter 3.0 mm,
working length 15cm
Liposuction Cannula with threaded connector, 18-Holes, diameter 3.0 mm,
working length 15 cm
Liposuction Cannula with threaded connector, Angled, 22-Holes, diameter
3.0 mm, working length 20 cm
Liposuction Cannula with threaded connector, 8-Holes, diameter 2.0 mm,
working length 15 cm
Liposuction Cannula Handle
Liposuction Cannula Handle with Interrupting Hole




Liposuction Cannulas Set



Item Code	Description
TC35-3176	Liposuction Cannula Set for Thie and Lower Leg with Threaded Fitting
Consisting of	Liposuction Cannula with threaded connector, byonet shape, 22-Holes,
	diameter 3.0 mm, working length 20 cm
	Liposuction Cannula with threaded connector, byonet shape, 22-Holes,
	diameter 4.0 mm, working length 20 cm
	Liposuction Cannula with threaded connector, byonet shape, 30-Holes,
	diameter 3.0 mm, working length 30 cm
	Liposuction Cannula with threaded connector, byonet shape, 30-Holes,
	diameter 4.0 mm, working length 30 cm
	Liposuction Cannula Handle
	Liposuction Cannula Handle with Interrupting Hole




Liposuction Cannulas Set




Item Code	Description
TC35-3177	Micro Fat Injection Cannulas Set
Consisting of	Open Port Injector Cannula, 1.2mm, 10cm, Luer Lock
	Multi Holes Harvester Cannula Model 2, 2.5mm, 20cm, Luer Lock
	Tumescent Infiltrator Cannula, 1.5mm, 12cmLuer Lock
	Micro Injector Cannula, 0.8mm, 4cm, Luer Lock
	Micro Injector Cannula, 1.0mm, 5cm, Luer Lock
	Holding Device
	Luer Lock Syringe Cap




































5 15

TC35-3230 5 cm 1,7 mm Ø TC35-3231 15 cm 1,7 mm Ø Neck Cannulas TC35-3232 15 cm 3 mm Ø Neck Cannulas TC35-3233 20 cm 3 mm Ø Neck Cannulas TC35-3234 15 cm 2 mm Ø TC35-3235 5 cm 2 mm Ø TC35-3236 5 cm 3 mm Ø TC35-3237 15 cm 2 mm Ø TC35-3238

15 cm 3 mm Ø



TC35-3229

15 cm

2 mm Ø


Trigh - Lower Leg Cannulas
TC35-3239 20 cm 3 mm Ø
TC35-3240 30 cm 3 mm Ø
TC35-3241 20 cm 4 mm Ø
TC35-3242 30 cm 4 mm Ø




Abdomen / Saddlebag Cannulas TC35-3243 20 cm 3 mm Ø TC35-3244 20 cm 4 mm Ø

Abdomen / Saddlebag Cannulas TC35-3245 30 cm 3 mm Ø TC35-3246 30 cm 4 mm Ø TC35-3247 with rotatable tube connection Accessories


































234















Gasparotti
Cannulas
Measurements = working length














BREAST DISSECTORS AND ELEVATOR







Wazirbad Road, Ugoki, Sialkot-51310 PAKISTAN

Phone: +92-52-3561347-3252058

Phone: +92-52-3561202 Cell: +92-300-6139615

Cell: +92-322-6139615

Email: info@tcmedicline.com Email: exporttcmedicline@gmail.com